

A distribution list of the butterflies (*Lepidoptera, Rhopalocera*) of Tian-Shan within the boundaries of the former Soviet Union

Stanislav K. Korb

Russian Entomological Society, Nizhny Novgorod Branch
P.O.Box 97 Nizhny Novgorod 603009 Russia. E-mail: stanislavkorb@list.ru

A distributive list of butterflies of Tian-Shan in borders of former Soviet Union is compiled, it contains 289 species: Hesperiidae – 21 species, Papilionidae – 21 species; Pieridae – 38 species, Satyridae – 67 species, Lybitheidae – 1 species, Danaidae – 1 species, Nymphalidae – 42 species, Riodinidae – 2 species, Lycaenidae – 96 species. New synonyms are established.

Key words: butterflies, fauna, Inner Tian-Shan, distributive list.

Introduction

The Tian-Shan mountains is a vast mountainous area located in Middle Asia and occupying countries: Uzbekistan, Kyrgyzstan, Kazakhstan, and China (not included to current study). Orographically this area divided into following parts: North Tian-Shan (including five mountain ridges: Kyrgyzsky, Transilian Alatau, Kungey Ala-Too, Terskey Ala-Too, Ketmen; and high-mountainous lake Issyk-Kul), West Tian-Shan (Talassky Mts. and located westwards mountain ridges as far as Syrdaryinsky Karatau Mts.), East Tian-Shan (Narat, Khalyktau and adjacent mountain ridges), Central Tian-Shan (Sary-Dzhas, Inylchektau, Kokshaaltau Mts.), Inner Tian-Shan (mountain ridges southwards Kyrgyz Mts. and Terskey Ala-Too Mts.) (Fig. 1).




Fig. 1. Tian-Shan. I – West Tian-Shan, II – North Tian-Shan, III – Dzungaria, IV – East Tian-Shan, V – Inner Tian-Shan, VI – Central Tian-Shan.

Butterfly fauna of this territory is rich and unique. The butterfly fauna of North Tian-Shan is studied better; the fauna of Central Tian-Shan studied not so good. In this paper, I compiled the list of butterflies of Tian-Shan.

Materials and Methods

Materials for this paper were:

- 1) Collections: Zoological Institute of the Russian Academy of Sciences (St.-Petersburg, Russia), Zoological Museum of the Moscow University (Moscow, Russia), Finnish Natural History Museum (Helsinki, Finland), Zoological Museum of the Nizhny Novgorod University (Nizhny Novgorod, Russia), Zoological Museum of Biological Institute of the Komi Science Centre of the Russian Academy of Sciences (Syktyvkar, Russia), Museum für Naturkunde an der Humboldt-Universität (Berlin, Germany), D.A. Pozhogin (Nizhny Novgorod, Russia), A.A. Shaposhnikov (Podolsk, Russia), T.Y.B. Kosarev (Nizhny Novgorod, Russia), L.V. Kaabak (Moscow, Russia), V.V. Titov (Zheleznodorozhny, Russia).
- 2) Author's own collections and researches in North, Inner and West Tian-Shan (1993–2016).
- 3) Published data.

List of mountain ridges

The following mountain ridges are included into parts of Tian-Shan (the Tian-Shan division after Gvozdetsky & Mikhailov (1978); traditional Russian and/or Kyrgyzian names are given in square brackets):

Inner Tian-Shan: Akschirak Mts. [Аксыйрак, Ак-Шийрак]; Atbaschi Mts. [Атбashi, Ат-Баши]; Baibichetau Mts. [Байбичетоо, Байбичетау]; Baidula Mts. [Байдула]; Borkoldoi Mts. [Борколдой, Борколдай]; Dzhamantau Mts. [Джамантау, Жамантоо]; Dzhetim Mts. [Джетим, Жетим], Dzhetimbek Mts. [Джетимбель, Джетим-Бель, Жетим-Бель, Жетим-Бел]; Dzhumgoltau Mts. [Джумголтау, Джумгалтоо, Жумгал-Too]; Fergansky Mts. [Ферганский хр.]; Moldo-Too Mts. [Молдо-Тоо, Мулдо-Тоо, Мулдатай]; Naryntau Mts. [Нарынтау, Нарынтоо]; Suusamyrtau Mts. [Сүусамыртау, Сүусамыртоо, Сусамыртау].

Central Tian-Shan: Meridionalny Mts. [хр. Меридиональный]; Inylchektau Mts. [Иныльчектау, Эныльчектау, Эныльчек, Ингыльчек]; Karakatas Mts. [Каркатаас]; Karadzhorgo Mts. [Кара-Джорго, Кара-Жорго]; Kekirimtau Mts. [Кекиримтау, Кекиримтоо]; Kokshaaltau Mts. [Кокшаалтау, Кокшаалтоо]; Sarydzhaz Mts. [Сары-Джаз, Сары-Жаз].

West Tian-Shan: Karamazor Mts. [Карамазор]; Karzhantau Mts. [Каржантай]; Kuraminsky Mts. [Кураминский хр.]; Pskem Mts. [Пскемский хр.]; Sandalashsky Mts. [Сандалашский хр.]; Syrdaryinsky Karatau Mts. [Сырдарынинский Карагатай]; Talassky Mts. [Таласский хр.]; Chatkal Mts. [Чаткальский хр.]; Ugam Mts. [Угамский хр.].

North Tian-Shan: Ketmen Mts. [Кетмень]; Kirghiz Mts. [Киргизский хр., Ала-Тоо]; Terskey Ala-Too Mts. [Терской Ала-Тоо, Терской Алатау]; Kungey Ala-Too Mts. [Кунгей Ала-Тоо. Кунгей Алатау]; Transili Alatau Mts. [Заилийский Алатау].

PUBLISHED DATA

Main papers on butterflies of Tian-Shan are: Alphéraky (1881), Korb (2010, 2011, 2012, 2015, 2017), Staudinger (1886, 1888, 1889), Tshikolovets (2003), Zhdanko (2005).

LIST OF SPECIES

Hesperiidae

Erynnis tages (Linnaeus, 1758). North Tian-Shan: Ketmen Mts.

E. marloyi (Boisduval, 1832). West Tian-Shan: Chatkalsky Mts.

Carcharodus alceae (Esper, [1780]). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Susamyrtoo, Dzhumgaltoo, Moldo-Too, Naryntoo, Ak-Shiyrap, Baidulu Mts.

Syrichtus antonia (Speyer, 1879). North Tian-Shan: all ridges; West Tian-Shan: Talassky, Fergansky, Chatkalsky Mts.; Inner Tian-Shan: Dzhumgaltoo, Suusamyrtoo, Naryn-Too, Moldo-Too, Baidulu Mts.

S. staudingeri (Speyer, 1879). North Tian-Shan: Kungey Ala-Too, Kirghizsky Mts.; Inner Tian-Shan: Naryntoo.

S. tessellum (Hübner, [1803]). North Tian-Shan: all ridges; West Tian-Shan: Talassky, Fergansky Mts.; Inner Tian-Shan: Dzhumgal-Too, Naryntoo, Moldo-Too, At-Bashi, Dzhetim-Bel, Baidulu Mts.; Central Tian-Shan: Sary-Dzhaz, Inylchektau Mts.

S. lutulentus Grum-Grshimailo, 1887. North Tian-Shan: Kirghizsky, Transili Alatau Mts; West Tian-Shan: Syrdaryinsky Karatau, Talassky, Chatkalsky Mts.

Note. Taxon *massageticus* Zhdanko, 1993. *Izv. NAN Kazakhstana.*, 2: 37 – 44 with type locality "Boraldai mountains" is a subspecies of *lutulentus* but not separate species.

S. nobilis (Staudinger, 1882). North Tian-Shan: Kirghizsky Mts.; Inner Tian-Shan: Suusamyrtoo, Moldo-Too Mts.

S. proteus (Staudinger, 1886). North Tian-Shan: Kungey Ala-Too, Kirghizsky Mts.; West Tian-Shan: Talassky, Chatkalsky Mts.

Spialia geron (Watson, 1893). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Chatkalsky Mts.

S. orbifer (Hübner, [1823]). North Tian-Shan: all ridges; West Tian-Shan: Syrdaryinsky Karatau, Talassky, Chatkalsky, Ugamsky, Fergansky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo, Naryntoo, Moldo-Too, Baidulu Mts.

Pyrgus sidae (Esper, [1782]). North Tian-Shan: Kirghizsky, Kungey Ala-Too Mts.; West Tian-Shan: Syrdaryinsky Karatau, Chatkalsky Mts.; Inner Tian-Shan: Dzhumgaltoo, Suusamyrtoo, Naryntoo Mts.

P. malvae (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: Talassky, Fergansky Mts.; Inner Tian-Shan: Moldo-Too Mts.

P. alpinus (Erschoff, 1874). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgaltoo, Suusamyrtoo, Baidulu, Moldo-Too, Naryntoo, Dzhetim-Bel, Borkoldoi, At-Bashi Mts; Central Tian-Shan: Inylchek, Sary-Dzhaz, Kokshaaltoo Mts.

Thymelicus lineola (Ochsenheimer, [1808]). North Tian-Shan: all ridges; West Tian-Shan: Syrdaryinsky Karatau, Talassky, Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo, Baidulu, Naryntoo, Dzhetim-Bel, Borkoldoi, Moldo-Too Mts.

T. alaicus (Filipjev, 1931). West Tian-Shan: Fergansky, Chatkalsky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo Mts.

Hesperia comma (Linnaeus, 1758). All ridges.

H. sylvanus (Esper, [1777]). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Talassky, Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Naryntoo, Moldo-Too, Baidulu Mts.

H. thibetana Oberthür, 1886. Inner Tian-Shan: At-Bashi, Naryntoo Mts.

Eogenes alcides (Herich-Schäffer, [1852]). West Tian-Shan: Fergansky Mts.

Gegenes nostrodamus (Fabricius, 1793). West Tian-Shan: Fergansky Mts.

Papilionidae

Papilio alexanor Esper, [1799]. North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Chatkalsky, Fergansky Mts.

P. machaon Linnaeus, 1758. All ridges.

Iphiclides podalirius (Linnaeus, 1758). North Tian-Shan: Kirghizsky, Ketmen, Transili Alatau-Mts.

Hypermnestra helios (Nickerl, 1846). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau Mts.; West Tian-Shan: Syrdaryinsky Karatau, Chatkalsky Mts.

Parnassius apollonius (Eversmann, 1847). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Ketmen, Transili Alatau Mts.; West Tian-Shan: Syrdaryinsky Karatau, Karzhantau, Pskemsky, Ugamsky, Chatkalsky, Talassky, Fergansky Mts.; Inner Tian-Shan: Dzhumgaltoo, Suusamyrtoo, Moldo-Too, Naryntoo, Dzhetim-Bel Mts.

P. actius (Eversmann, 1843). All ridges.

P. jacquemonti Boisduval, 1836. West Tian-Shan: Fergansky Mts.

P. tianschanicus Oberthür, 1879. All ridges.

P. apollo (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: Talassky.; Inner Tian-Shan: Dzhumgaltoo Mts.

Driopa mnemosyne (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Borkoldoi, At-Bashi, Dzhetim-Bel Mts.

Kreizbergius boedromius (Püngeler, 1901). North Tian-Shan: Kirghizsky, Transili Alatau, Terskey Ala-Too, Kungey Ala-Too Mts.; West Tian-Shan: Talassky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhetim-Bel, At-Bashi, Borkoldoi Mts.; Central Tian-Shan: Inylchektau, Sary-Dzhaz, Kokshaaltoo Mts.

K. simo (Gray, 1853). Central Tian-Shan: Kokshaaltoo Mts.

K. simonius (Staudinger, 1889). Inner Tian-Shan: Dzhamantau Mts.

Koramius patricius (Niepelt, 1911). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Terskey Ala-Too, Transili Alatau Mts.; West Tian-Shan: Chatkalsky, Talassky Mts.; Inner Tian-Shan: Suusamyrtoo, Baidulu, At-Bashi, Borkoldai, Dzhetim-Bel Mts.; Central Tian-Shan: Inylchektau, Sary-Dzhaz, Kokshaaltoo Mts.

K. priamus (Bryk, 1914). North Tian-Shan: Terskey Ala-Too Mts.; Central Tian-Shan: sarydzhaz, Inylchektau, Kaindy, Meridionalny, Kokshaaltoo Mts.; Inner Tian-Shan: Borkoldai Mts.

K. delphius (Eversmann, 1843). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo, Moldo-Too, Baidulu, Naryntoo, At-Bashi, Dzhetim-Bel Mts.; Central Tian-Shan: all ridges.

K. maximinus (Staudinger, 1891). West Tian-Shan: Karzhantau, Pskemsky, Ugamsky, Sandalashsky, Koksuyksky, Chatkalsky, Talassky, Kuraminski Mts.

K. staudingeri (A.Bang-Haas, 1882). Inner Tian-Shan: Dzhamantau, Baubash-Ata Mts.

K. charltonius (Gray, 1853). Inner Tian-Shan: Dzhamantau Mts.

K. davydovi (Churkin, 2006). Inner Tian-Shan: Moldo-Too Mts.

K. loxias (Püngeler, 1901). Central Tian-Shan: Kaindy, Inylchektau, Kokshaaltoo Mts.

Pieridae

- Leptidea juvernica* Williams, 1946. North Tian-Shan: Terskey Ala-Too Mts.
- L. descimoni* Mazel, 2004. North Tian-Shan: Terskey Ala-Too Mts.
- L. sinapis* (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: Talassky, Chatkalsky, Fergansky Mts.
- Colias cocandica* Erschoff, 1874. North Tian-Shan: all ridges; West Tian-Shan: Talassky, Chatkalsky, Ugamsky, Pskemsky, Fergansky Mts.; Inner Tian-Shan: Baidulu, At-Bashi, Naryntau, Dzhetim-Bel Mts.; Central Tian-Shan: all ridges.
- C. alta* Staudinger, 1886 (=*C. worthyi* Zhdanko, [2012]). North Tian-Shan: Kirghizsky Mts.; Inner Tian-Shan: Naryntoo, At-Bashi Mts., Baidulu Mts.
- C. grieshaberi* Korb, 2004. North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky Mts.
- C. erate* (Esper, [1801]). All ridges.
- C. ionovi* Korb, 2005. North Tian-Shan: Kirghizsky, Transili Alatau Mts.
- C. romanovi* Grum-Grshimailo, 1885. North Tian-Shan: all ridges; West Tian-Shan: Talassky, Chatkalsky, Ugamsky, Fergansky Mts.; Inner Tian-Shan: Ak-Shiyak, Moldo-Too, Baidulu, Naryntoo, At-Bashi Mts.
- C. staudingeri* Alphéraky, 1881. North Tian-Shan: all ridges; Inner Tian-Shan: all ridges; Central Tian-Shan: all ridges.
- C. regia* Grum-Grshimailo, 1887. Inner Tian-Shan: Baidulu, Nur, Naryntoo Mts.; Central Tian-Shan: all ridges.
- C. thisoa* Ménétriès, 1832. North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Fergansky, Talassky Mts.; Inner Tian-Shan: Moldo-Too, Baidulu, Nur, Suusamyrttoo, Naryntau, At-Bashi Mts.
- C. erschoffi* Alphéraky, 1881. North Tian-Shan: Ketmen Mts.
- C. draconis* Grum-Grshimailo, 1891. West Tian-Shan: Talassky, Chatkalsky, Pskemsky, Kuraminsky Mts.
- Gonepteryx rhamni* (Linnaeus, 1758). North Tian-Shan: all ridges.
- G. farinosa* Zeller, 1847. North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Chatkalsky, Fergansky, Talassky, Kuraminsky, Pskemsky Mts.
- Anthocharis cardamines* (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: all ridges.
- Euchloe ausonia* (Hübner, [1803]). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Ketmen, Transili Alatau Mts.
- E. daphalis* (Moore, 1865). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Talassky, Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Baidulu, Naryntoo, Suusamyrttoo, Dzhumgaltoo Mts.
- Zegris eupheme* (Esper, [1805]). North Tian-Shan: Kirghizsky Mts.
- Z. fausti* Christoph, 1877. North Tian-Shan: Transili Alatau, Ketmen Mts.; West Tian-Shan: Ugamsky, Kuraminsky, Karzhantau Mts.
- Microzebris pyrothoe* (Eversmann, 1832). North Tian-Shan: Transili Alatau Mts.
- Aporia crataegi* (Linnaeus, 1758). All ridges.
- Metaporia leucodice* (Eversmann, 1843). All ridges.
- Pieris brassicae* (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Baidulu, Naryntoo, Dzhetim-Bel Mts.
- P. deota* (de Nicéville, [1884]). North Tian-Shan: Kirghizsky, Terskey Ala-Too Mts.; Inner Tian-Shan: Dzhetim-Bel, Naryntoo Mts.; Central Tian-Shan: Kokshaaltoo Mts.
- P. napi* (Linnaeus, 1758). All ridges.
- P. euorientis* Verity, [1908]. North Tian-Shan: Kirghizsky Mts.
- P. banghaasi* Sheljuzhko, 1910. North Tian-Shan: Kirghizsky, Kungey Ala-Too Mts.; Inner Tian-Shan: Kara-Dzhorgo, Naryntoo, Nura, Baidulu Mts.
- P. rapae* (Linnaeus, 1758). All ridges.
- P. ochsenheimeri* Staudinger, 1886. North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Talassky, Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Suusamurtoo, Dzhumgaltoo Mts.
- P. canidia* (Sparrman, 1768). North Tian-Shan: Kirghizsky, Transili Alatau Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgaltoo, Suusamyrttoo Mts.
- P. krueperi* Staudinger, 1860. North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Chatkalsky, Talassky, Fergansky Mts.
- Pontia chloridice* (Hübner, [1813]). North Tian-Shan: all ridges; West Tian-Shan: Syrdaryinsky Karatau Mts.; Inner Tian-Shan: Baidulu, Naryntoo Mts.
- P. daplidice* (Linnaeus, 1758). All ridges.
- P. callidice* (Hübner, [1800]). All ridges.
- Baltia shawii* (Bates, 1873). Inner Tian-Shan: Moldo-Too Mts.

Lybitheidae

- Lybithea celtis* (Laicharting, 1782). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau Mts.; West Tian-Shan: all ridges.

Danaidae

Danaus chrysippus (Linnaeus, 1758). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Chatkalsky, Karzhantau, Pskemsky Mts.

Nymphalidae

Limenitis lepechini Erschoff, 1874. West Tian-Shan: Fergansky Mts.

Neptis rivularis (Scopoli, 1763). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Talassky, Fergansky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo Mts.

Argynnис pandora ([Denis et Schiffermüller], 1775). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: all ridges; Central Tian-Shan: Inylchektau, Sary-Dzhaz Mts.

A. paphia (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Talassky, Fergansky Mts.

A. niobe (Linnaeus, 1758). All ridges.

A. adippe (Linnaeus, 1767). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Talassky, Fergansky Mts.

A. aglaja (Linnaeus, 1758). All ridges.

Issoria lathonia (Linnaeus, 1758). All ridges.

Brenthis ino (Rottemburg, 1775). North Tian-Shan: all ridges; West Tian-Shan: Talassky, Chatkalsky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo Mts.

B. hecate ([Denis et Schiffermüller], 1775). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau Mts.; West Tian-Shan: Talassky, Chatkalsky, Ugamsky, Fergansky Mts.; Inner Tian-Shan: all ridges.

Boloria erubescens (Staudinger, 1901). All ridges.

B. generator (Staudinger, 1886). All ridges.

B. dia (Linnaeus, 1764). North Tian-Shan: Kirghizsky Mts.

Polygonia c-album (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Talassky, Fergansky Mts.; Inner Tian-Shan: Naryntoo, Baidulu, Karakatty, Dzhumgoltau Mts.

P. egea (Cramer, [1775]). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Central Tian-Shan: Sary-Dzhaz Mts.

Nymphalis vau-album ([Denis et Schiffermüller], 1775). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Talassky, fergansky Mts.; Inner Tian-Shan: Moldo-Too, Naryntoo Mts.

N. xanthomelas ([Denis et Schiffermüller], 1775). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: At-Bashi, Naryntoo, Baidulu Mts.

N. antiopa (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Naryntoo, Baidulu Mts.

Aglais urticae (Linnaeus, 1758). All ridges.

Inachis io (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: Talassky, Chatkalsky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo Mts.

Vanessa atalanta (Linnaeus, 1758). North Tian-Shan: Kirghizsky, Transili Alatau Mts.; West Tian-Shan: Chatkalsky, Talassky Mts.

V. cardui (Linnaeus, 1758). All ridges.

Euphydryas alexandrina (Staudinger, 1887). North Tian-Shan: all ridges; Inner Tian-Shan: Kara-Dzhorgo, Baidulu, Dzhetim-Bel, Dzhumgaltoo, Naryntoo, At-Bashi; Central Tian-Shan: Sary-Dzhaz, Inylchektau Mts.

Melitaea didyma (Esper, [1779]). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhetim-Bel, Moldo-Too, Baidulu Mts.

M. persea Kollar, [1849]. North Tian-Shan: Kungey Ala-Too, Terskey Ala-Too, Kirghizsky Mts.; West Tian-Shan: Talassky Mts.

M. ala Staudinger, 1881 (=*M. kotshubeji* Sheljuzhko, 1929). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky Mts., Fergansky Mts., Talassky Mts.; Inner Tian-Shan: all ridges; Central Tian-Shan: Kokshaaltoo Mts.

M. ninae Sheljuzhko, 1935. North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Talassky, Chatkalsky Mts.

M. enarea Fruhstorfer, 1916. West Tian-Shan: Fergansky Mts.

M. lunulata Staudinger, 1901. North Tian-Shan: Kirghizsky, Kungey Ala-Too, Terskey Ala-Too, Transili Alatau Mts.; West Tian-Shan: all ridges.

M. fergana Staudinger, 1882. North Tian-Shan: all ridges; West Tian-Shan: Talassky Mts.; Inner Tian-Shan: all ridges; Central Tian-Shan: Inylchektau, Sary-Dzhaz Mts.

M. athene Staudinger, 1881. North Tian-Shan: Ketmen, Transili Alatau Mts.

M. robertsi Butler, 1880. West Tian-Shan: all ridges; Inner Tian-Shan: Naryntoo, Moldo-Too Mts.

M. minerva Staudinger, 1881. North Tian-Shan: Kirghizsky, Ketmen, Kungey Ala-Too, Transili Alatau Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Songkeltoo, Moldo-Too, Dzhetim-Bel, Baidulu Mts.

M. pallas Staudinger, 1886. North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Talassky, Chatkalsky Mts.; Inner Tian-Shan: all ridges.

M. asteroida Staudinger, 1881. North Tian-Shan: all ridges; West Tian-Shan: Talassky Mts.; Inner Tian-Shan: all ridges.

M. palamedes Grum-Grshimailo, 1890. North Tian-Shan: Transili Alatau; West Tian-Shan: Talassky Mts.; Inner Tian-Shan: Dzhumgaltoo Mts.

M. turanica Erschoff, 1874. West Tian-Shan: Chatkalsky Mts.

M. ornata Christoph, 1893. North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau Mts.; West Tian-Shan: Talassky Mts.

M. sibina Alphéraky, 1881. North Tian-Shan: Kirghizsky, Ketmen, Transili Alatau, Kungey Ala-Too Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo, Moldo-Too, Naryntoo, Baidulu Mts.

M. arduinna (Esper, [1784]). North Tian-Shan: Kirghizsky, Transili Alatau Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgaltoo, Moldo-Too, Naryntoo, Baidulu Mts.

M. cinxia (Linnaeus, 1758). North Tian-Shan: Kirghizsky, Kungey Ala-Too Mts.; West Tian-Shan: Chatkalsky, Talassky, Fergansky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo, Moldo-Too, Naryntoo Mts.

Satyridae

Lasiommata maera (Linnaeus, 1758). North Tian-Shan: Ketmen, Kungey Ala-Too Mts.

L. menava Moore, 1865. North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: all ridges.

Marginarge eversmanni (Eversmann, 1847). All ridges, except Central Tian-Shan.

Melanargia russiae (Esper, [1786]). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau, Ketmen Mts.

M. parce Staudinger, 1882. All ridges, except Central Tian-Shan.

Triphysa issykkulica Dubatolov, Korb et Yakovlev, 2016. North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau Mts.

Lyela myops (Staudinger, 1881). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Ugamsky, Pskemsky, Syrdaryinsky Karatau, Karzhantau Mts.

Disommata nolckenii (Erschoff, 1874). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: At-Bashi, Naryntoo, Moldo-Too, Dzhetim-Bel Mts.

Chortobius tullia (Müller, 1764). North Tian-Shan: Kungey Ala-Too, Kirghizsky Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgaltoo Mts.

C. mahometana (Alphéraky, 1881). North Tian-Shan: all ridges; Inner Tian-Shan: baidulu Mts.

C. sunbecca (Eversmann, 1843). All ridges.

C. pamphilus (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgaltoo, Suusamyrtoo Mts.

Paralasa helios (O.Bang-Haas, 1927). Central Tian-Shan: all ridges; Inner Tian-Shan: Naryntoo Mts.

P. bogutena V.Lukhtanov et A.Lukhtanov, 1994. North Tian-Shan: Kirghizsky, Kungey Ala-Too, Terskey Ala-Too, Transili Alatau Mts.

P. kusnezovi (Avinov, 1910). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrtoo, Moldo-Too, Dzhumgaltoo Mts.

Proterebia afra (Fabricius, 1787). North Tian-Shan: Kirghizsky, Transili Alatau Mts.; West Tian-Shan: Syrdaryinsky Karatau Mts.

Erebia turanica Erschoff, 1877. North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Talassky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo, Moldo-Too Mts.; Central Tian-Shan: Kaindy, Inylchektau Mts.

E. meta Staudinger, 1886. West Tian-Shan: Chatkal, Fergansky Mts.; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo Mts.

E. mopsos Staudinger, 1886. North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Talassky Mts.; Inner Tian-Shan: all ridges; Central Tian-Shan: all ridges.

E. mongolica Erschoff, 1888. North Tian-Shan: all ridges; West Tian-Shan: Talassky, Chatkalsky Mts.; Inner Tian-Shan: all ridges; Central Tian-Shan: Sary-Dzhaz Mts.

E. saita Korb, 2010. Inner Tian-Shan: Dzhetim-Bel Mts.

E. radians Lang, 1884. North Tian-Shan: all ridges; West Tian-Shan: Fergansky Mts.; Inner Tian-Shan: Dzhumgaltoo, Suusamyrtoo, At-Bashi Mts.

E. sokolovi Lukhtanov, 1990. North Tian-Shan: Kirghizsky Mts.; West Tian-Shan; Talassky, Chatkalsky Mts.

E. kalmuka Alphéraky, 1881. North Tian-Shan: Terskey Ala-Too Mts.; Inner Tian-Shan: Baidulu, Naryntoo, Moldo-Too, Dzhetim-Bel, Borkoldai, At-Bashi; Central Tian-Shan: all ridges.

E. eugenia Churkin, 2000. Central Tian-Shan: Kokshaaltoo Mts.

Karanasa talastauana (O.Bang-Haas, 1927). West Tian-Shan: all ridges.

K. kirgizorum Avinoff et Svedadner, 1951. North Tian-Shan: Kirghizsky Mts.

K. wilkinsi (Erschoff, 1881). North Tian-Shan: Transili Alatau, Kungey Ala-Too Mts.; West Tian-Shan: Talassky, Fergansky Mts.; Inner Tian-Shan: At-Bashi, Moldo-Too, Baidulu, Songkeltoo Mts. (Satyrus).

K. praestans Avinov et Svedadner, 1951. West Tian-Shan: Sandalashsky Mts.; Inner Tian-Shan: Suusamyrtoo Mts.

K. latifasciata (Grum-Grshimailo, 1902). North Tian-Shan: Terskey Ala-Too, Kungey Ala-Too Mts.; Central Tian-Shan: all ridges; Inner Tian-Shan: Naryntoo, Songkeltoo Mts.

K. tancrei (Grum-Grshimailo, 1893). Inner Tian-Shan: At-Bashi Mts.

- K. pungeleri*(A.Bang-Haas, 1910). Inner Tian-Shan: Borkoldai, Dzhetim-Bel, Ak-Shiyrap Mts.
- K. regeli*(Alphéraky, 1881). North Tian-Shan: Transili Alatau, Kungey Ala-Too, Terskey Ala-Too Mts.; Central Tian-Shan: Kaindy, Sarydzhaz, Inylchektau Mts.
- K. inopinata* Korb, 2014. North Tian-Shan: Kirghizsky Mts.
- K. abramovi*(Erschoff, 1884). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: At-Bashi, Dzhumgal-Too, Baidulu, Dzhetim-Bel, Borkoldai Mts.
- Oeneis tarpeia* (Pallas, 1771). North Tian-Shan: Transili Alatau, Kungey Ala-Too, Ketmen Mts.; Inner Tian-Shan: Kokshaaltoo Mts.
- O. hora* Grum-Grshimailo, 1888. North Tian-Shan: all ridges; West Tian-Shan: Fergansky Mts.; Inner Tian-Shan: Baidulu, Naryntoo, Dzhetim-Bel; Central Tian-Shan: all ridges.
- Hipparchia autonoe* (Esper, [1783]). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Talassky Mts.; Inner Tian-Shan: Suusamyrttoo, Dzhumgal-Too, Kara-Dzhorgo, Naryntoo, Moldo-Too, Baidulu, At-Bashi Mts.; Central Tian-Shan: Kokshaaltoo Mts.
- Satyrus ferula* (Fabricius, 1793). All ridges.
- Minois dryas* (Scopoli, 1763). North Tian-Shan: Transili Alatau, Kungey Ala-Too Mts.
- Arethusana arethusa* ([Denis et Schiffermüller], 1775). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau, Ketmen Mts.; West Tian-Shan: Talassky, Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo Mts.
- Chazara briseis* (Linnaeus, 1764). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Moldo-Too Mts.
- C. enervata* (Staudinger, 1881). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Naryntoo Mts.
- C. kauffmanni* (Erschoff, 1874). North Tian-Shan: all ridges; West Tian-Shan: Fergansky Mts.; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Moldo-Too, At-Bashi Mts.
- C. heydenreichi*(Lederer, 1853). All ridges.
- Pseudochazara esperi* Koçak, 1981. North Tian-Shan: Kungey Ala-Too, Terskey Ala-Too, Transili Alatau, Ketmen Mts.
- P. turkestanica*(Grum-Grshimailo, 1893). All ridges.
- Hyponephele lycaon*(Rottemburg, 1775) (=przhewalskyi Dubatolov, Sergeev et Z[h]danko, 1994). North Tian-Shan: all ridges.
- H. lupina* (Costa, [1836]). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Moldo-Too, At-Bashi, Borkoldoi Mts.
- H. interposita*(Erschoff, 1874). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau, Ketmen Mts.; West Tian-Shan: Fergansky Mts.
- H. davendra*(Moore, 1865). West Tian-Shan: Fergansky Mts.; Inner Tian-Shan: Suusamyrttoo, At-Bashi Mts.
- H. dysdora*(Lederer, 1870). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Moldo-Too, Naryntoo Mts.
- H. latistigma* (Moore, [1892]). West Tian-Shan: Fergansky, Talassky Mts.; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Moldo-Too, Kara-Dzhorgo, Baidulu, Naryntoo, At-Bashi Mts.
- H. rueckbeili*(Staudinger, 1887). North Tian-Shan: Terskey Ala-Too Mts.; Inner Tian-Shan: Kara-Dzhorgo, Naryntoo, At-Bashi, Baidulu Mts.
- H. sheljuzhkoi* Samodurov et Tshikolovets, 1996. Inner Tian-Shan: naryntoo Mts.
- H. germana*(Staudinger, 1887). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau Mts.
- H. hilaris* (Staudinger, 1886). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Baidulu, Naryntoo, Moldo-Too, At-Bashi, Kara-Dzhorgo Mts.
- H. glasunovi* (Grum-Grshimailo, 1893). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Talassky, Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Moldo-Too, Naryntoo Mts.
- H. cadusina*(Staudinger, 1881). North Tian-Shan: Kungey Ala-Too, Terskey Ala-Too, Transili Alatau Mts.
- H. naricina*(Staudinger, 1870). North Tian-Shan: Kungey Ala-Too, Terskey Ala-Too, Transili Alatau Mts.; West Tian-Shan: Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Moldo-Too, Kara-Dzhorgo, Baidulu, Naryntoo Mts.
- H. kirghisa*(Alphéraky, 1881). North Tian-Shan: all ridges.
- H. haberhaueri*(Staudinger, 1886). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Naryntoo, Moldo-Too, Atbashi Mts.
- H. tristis jasavi* Lukhtanov, 1990. North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Chatkalsky, Syrdaryinsky Karatau Mts.
- H. korshunovi* Lukhtanov, 1994. West Tian-Shan: Chatkalsky Mts.
- H. laeta* (Staudinger, 1886). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo Mts.
- H. murzini* Dubatolov, 1989. West Tian-Shan: Ugamsky, Kuraminsky, Karzhantau, Pskemsky, Chatkalsky Mts.
- H. naubidensis*(Erschoff, 1874). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: all ridges.

Riodinidae

Polycaena tamerlana Staudinger, 1886. All ridges.

P. timur Staudinger, 1886. North Tian-Shan: Kirghizsky, Kungey Ala-Too, Terskey Ala-Too Mts.; Inner Tian-Shan: Baidulu, Naryntoo, Moldo-Too, Kara-Dzhorgo (Polycaena).

Lycaenidae

Cigaritis epargyros (Eversmann, 1854). West Tian-Shan: Fergansky Mts.

Thecla betulae (Linnaeus, 1758). North Tian-Shan: Transili Alatau, Kungey Ala-Too Mts.

Fixsenia sassanides (Kollar, [1849]). West Tian-Shan: all ridges.

F. acaudata (Staudinger, 1901). North Tian-Shan: all ridges; West Tian-Shan: all ridges.

Neolycaena zhankoi Churkin, 2006. Inner Tian-Shan: Moldo-Too, Naryntoo Mts.

N. tengstroemi (Erschoff, 1874). West Tian-Shan: all ridges.

N. baitenovi (Zhdanko, [2012]) (= *halimodendroni* Zhdanko, 2012, syn.n.). West Tian-Shan: Syrdaryinsky Karatau Mts.

N. submontana Zhdanko, 1994. North Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo Mts.

N. suusamyra Korb, 2010. Inner Tian-Shan: Dzhumgaltoo Mts.

N. carbonaria (Grum-Grshimailo, 1890). North Tian-Shan: Kirghizsky, Transili Alatau Mts.

N. baidula Zhdanko, 2000. West Tian-Shan: Talassky Mts.; Inner Tian-Shan: Baidulu, Songkeltoo, Naryntoo, Moldo-Too Mts.

N. sinensis (Alphéraky, 1881). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Moldo-Too, Kara-Dzhorgo, Baidulu, Naryntoo Mts.

N. olga Lukhtanov, 1999. North Tian-Shan: Kirghyzsky Mts.; Inner Tian-Shan: Suusamyrttoo, Moldo-Too, Songkel-Too Mts.

N. churkini Zhdanko, 2001. West Tian-Shan: Chatkalsky Mts.

Callophrys rubi (Linnaeus, 1758). North Tian-Shan: all ridges; West Tian-Shan: Fergansky Mts.

C. suaveola (Staudinger, 1881). North Tian-Shan: Ketmen, Kungey Ala-Too, Transili Alatau Mts.; West Tian-Shan: Chatkalsky, Fergansky Mts.

C. titanus Zhdanko, 1998. North Tian-Shan: Kirghizsky Mts.

Ahlbergia arquata Johnson, 1992. Only known by type specimens from Andijan vicinities (West Tian-Shan) in Uzbekistan; no other specimens are known.

Tomares fedtschenkoi (Erschoff, 1874). North Tian-Shan: Kirghizsky, Transili Alatau, Kungey Ala-Too; West Tian-Shan: Chatkalsky, Ugamsky, Karzhantau Mts.

T. callimachus (Eversmann, 1848). North Tian-Shan: Kirghizsky, Transili Alatau Mts.; West Tian-Shan: Karzhantau, Nuratau, Chatkalsky, Kuraminsky Mts.

Lycaena helle ([Denis et Schiffermüller], 1775). North Tian-Shan: Ketmen Mts.

L. phlaeas (Linnaeus, 1761). All ridges.

L. thersamon (Esper, [1784]). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Baidulu, Naryntoo, Moldo-Too Mts.

L. solskyi (Erschoff, 1874). North Tian-Shan: Kirghizsky, Transili Alatau, Kungey Ala-Too, Terskey Ala-Too Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgaltoo, Moldo-Too, Naryntoo, Baidulu, At-Bashi, Borkoldoi Mts.; Central Tian-Shan: Kokshaaltoo Mts.

L. dispar ([Haworth], 1802). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky, Fergansky Mts.

L. alciphron (Rottemburg, 1775). North Tian-Shan: Kirghizsky, Ketmen, Kungey Ala-Too, Terskey Ala-Too Mts.; Inner Tian-Shan: Naryntoo Mts.

L. splendens (Staudinger, 1881). North Tian-Shan: all ridges; Inner Tian-Shan: all ridges; Central Tian-Shan: all ridges.

L. virgaureae (Linnaeus, 1758). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Terskey Ala-Too Mts.

L. margelanica (Staudinger, 1881). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Baidulu, Naryntoo, Moldo-Too, Dzhetim-Bel, At-Bashi Mts.

Athamanthia alexandra (Püngeler, 1901). North Tian-Shan: Kirghizsky, Transili Alatau Mts.; West Tian-Shan: Chatkalsky Mts.; Inner Tian-Shan: Baidulu Mts.

Athamanthia sergetitovi Korb, 2012 (= *simurg* [Zhdanko, 2012], syn.n.). West Tian-Shan: Syrdaryinsky Karatau Mts.

Note. The name *sergetitovi* Korb, 2012 published 2 weeks earlier than *simurg*: publication date of Eversmannia, N 28-29 is 14.05.2012, publication date of Selevinia, year 2011 is [31.05.2012] (Art. 21.3.1 of ICZN) (it was approved to print 28.04.2012 (see p. 292 of Selevinia, 2011), printed and bounded clearly in May, 2012 (pers. comm. Selevinia's editor A.F.Kovshar), and this is only possible to find out, so Art. 21.3.1 of the Code only is a solution to establish the exact publication date of *simurg*.

A. dilutior (Staudinger, 1881) (= *zhankoi* Lukhtanov, 2000, = *churkini* Zhdanko, 2000). West Tian-Shan: Chatkalsky, Talassky, Fergansky Mts.; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Moldo-Too Mts.

A. infera (Nekrutenko, 1984). West Tian-Shan: Chatkalsky, Pskemsky, Karzhantau, Uzunkhamatsky Mts.; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Moldo-Too Mts.

- A. dimorpha* (Staudinger, 1881). North Tian-Shan: Kungey Ala-Too, Terskey Ala-Too, Transili Alatau Mts.; Inner Tian-Shan: Dzhumgaltoo, Suusamyrttoo Mts.
- A. namanganica* Lukhtanov, 2000. West Tian-Shan: Chatkalsky Mts.
- A. issykuli* Zhdanko, 1990. North Tian-Shan: Terskey Ala-Too Mts.
- Lampides boeticus* (Linnaeus, 1767). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau Mts.; West Tian-Shan: Fergansky, Ugamsky, Uzunkhamatsky, Karzhantau, Pskemsky Mts.
- Cupido minimus* (Fuessly, 1775). North Tian-Shan: Ketmen Mts.
- C. buddhista* (Alphéraky, 1881). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Baidulu Mts.
- C. osiris* (Meigen, 1829). North Tian-Shan: Kungey Ala-Too, Ketmen, Transili Alatau Mts.; Inner Tian-Shan: all ridges; Inner Tian-Shan: Baidulu Mts.
- C. prosecusa* (Erschoff, 1874). North Tian-Shan: Kirghizsky, Transili Alatau, Kungey Ala-Too, Terskey Ala-Too Mts.
- C. argiades* (Pallas, 1771). North Tian-Shan: Transili Alatau Mts.
- Celastrina argiolus* (Linnaeus, 1758). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Ketmen, Transili Alatau Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgaltoo, Baidulu, Dzhetim-Bel Mts.
- Pseudophilotes vicrama* (Moore, 1865). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo Mts.
- Scolitantides orion* (Pallas, 1771). North Tian-Shan: all ridges.
- Glauopsyche alexis* (Poda, 1761). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Baidulu, Kara-Dzhorgo, Suusamyrttoo, Dzhumgaltoo, Moldo-Too Mts.
- G. aeruginosa* (Staudinger, 1881). North Tian-Shan: Kirghizsky, Transili Alatau, Kungey Ala-Too Mts.; West Tian-Shan: Talassky, Chatkalsky, Syrdaryinsky Karatau Mts.
- G. laetifica* (Püngeler, 1898). North Tian-Shan: Kirghizsky Mts.
- Phengaris alcon* ([Denis et Schiffermüller], [1775]). North Tian-Shan: all ridges; West Tian-Shan: Talassky, Chatkalsky, Sandalashky Mts.; Inner Tian-Shan: Baidulu, Kara-Dzhorgo, Suusamyrttoo, Dzhumgaltoo, Moldo-Too Mts.
- P. teleius* (Bergsträsser, 1779). Inner Tian-Shan: Dzhumgaltoo Mts. This species only known from Sary-Kayky mountain massif in Dzhumgaltoo Mts. by one female specimen collected by me in 22-26.06.2009.
- P. arion* (Linnaeus, 1758). North Tian-Shan: all ridges.
- P. cyanecula* (Eversmann, 1848). North Tian-Shan: Kirghizsky, Transili Alatau, Kungey Ala-Too Mts.; West Tian-Shan: Talassky, Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Baidulu, Kara-Dzhorgo, Moldo-Too, Naryntoo, At-Bashi Mts.
- Turanaana tatjana* Zhdanko, 1984. North Tian-Shan: Kirghizsky, Transili Alatau, Kungey Ala-Too Mts.
- T. panaegides* (Staudinger, 1886). North Tian-Shan: Kirghizsky, Kungey Ala-Too Mts.; West Tian-Shan: Talassky, Chatkalsky Mts.; Inner Tian-Shan: Karadzhorgo Mts.
- Plebeius argus* (Linnaeus, 1758). North Tian-Shan: Kungey Ala-Too, Terskey Ala-Too, Ketmen, Transili Alatau Mts.; Inner Tian-Shan: Baidulu, Kara-Dzhorgo Mts.
- P. dzhizaki* Zhdanko, 2000. West Tian-Shan: Kuraminsky Mts.
- P. idas* (Linnaeus, 1761) (=nushibi Zhdanko, 2000). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: all ridges.
- P. argiva* (Staudinger, 1886) (=noah Herz, 1900, =churkini Zhdanko, 2001, =zhankoi Churkin, 2002, =mellarius Churkin et Zhdanko, 2008, syn.n., =aleremiticus Churkin et Pletnev, 2012). North Tian-Shan: Transili Alatau Mts.; West Tian-Shan: Chatkalsky, Fergansky Mts.; Inner Tian-Shan: Moldo-Too, Naryntoo Mts.
- P. christophi* (Staudinger, 1874) (=bactriana Grum-Grshimailo, 1890). North Tian-Shan: Transili Alatau, Kungey Ala-Too Mts.; West Tian-Shan: Fergansky Mts.
- P. samudra* (Moore, [1875]) (=rognera Grum-Grshimailo, 1890, =arpa Churkin et Pletnev, 2012). West Tian-Shan: Fergansky Mts.
- P. maracandica* (Erschoff, 1874). North Tian-Shan: Kirghizsky, Transili Alatau, Kungey Ala-Too, Terskey Ala-Too Mts.; West Tian-Shan: Fergansky Mts.; Inner Tian-Shan: Moldo-Too Mts.
- P. agnata* (Staudinger, 1886). North Tian-Shan: Transili Alatau Mts.; West Tian-Shan: Fergansky Mts.; Inner Tian-Shan: At-Bashi Mts.
- Afarsia sieversii* (Christoph, 1873). West Tian-Shan: Dzhetim-Bel, Nura, Baidulu, Naryntoo, Dzhumgaltoo, Suusamyrttoo Mts.; West Tian-Shan: Chatkalsky, Ugamsky, Pskemsky, Karzhantau Mts.
- A. kungeyana* (Korb, 2011). North Tian-Shan: Kungey Ala-Too Mts.
- A. rutilans* (Staudinger, 1886) (=antoninae Lukhtanov, 1999). West Tian-Shan: Talassky, Chatkalsky Mts.
- Rueckbeilia fergana* (Staudinger, 1881). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrttoo, Dzhumgaltoo, Baidulu, Kara-Dzhorgo Mts.
- R. eversmanni* (Lang, 1884). West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgaltoo Mts.
- Agriades pheretiades* (Eversmann, 1843). All ridges.
- Glabroculus cyane* (Eversmann, 1837). North Tian-Shan: all ridges; Inner Tian-Shan: all ridges; Central Tian-Shan: all ridges.
- G. elvira* (Eversmann, 1854). North Tian-Shan: Transili Alatau, Kungey Ala-Too Mts.; West Tian-Shan: Fergansky Mts.; Inner Tian-Shan: Moldo-Too Mts.

Aricia agestis ([Denis et Schiffermüller], 1775). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Baidulu, Moldo-Too, At-Bashi Mts.

A. artaxerxes (Fabricius, 1793). North Tian-Shan: all ridges; West Tian-Shan: Talassky, Chatkalsky, Karzhantau, Uzunkhamatsky Mts.; Inner Tian-Shan: Moldo-Too, Baidulu, Naryntoo Mts.; Central Tian-Shan: Sary-Dzhaz, Inylchektau Mts.

A. chinensis (Murray, 1874). North Tian-Shan: Transili Alatau, Kirghizsky Mts.

Alpherakya sartus (Alphéraky, 1881). All ridges.

Plebejidea usbekus (Forster, 1939). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: Talassky, Chatkalsky, Pskemsky, Ugamsky, Karzhantau, Fergansky Mts.

Eumedonia eumedon (Esper, [1780]). All ridges.

E. persephatta (Alphéraky, 1881). All ridges.

Rimisia miris (Staudinger, 1881). North Tian-Shan: Kirghizsky, Transili Alatau Mts.; West Tian-Shan: Chatkalsky, Ugamsky, Pskemsky, Fergansky Mts.

Cyaniris semiargus (Rottemburg, 1775). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Baidulu, Kara-Dzhorgo, At-Bashi Mts.

Polyommatus icarus (Rottemburg, 1775). All ridges.

P. icadius (Grum-Grshimailo, 1890). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Suusamyrtoo, Dzhumgaltoo, Mildo-Too Mts.

P. eros (Ochsenheimer, [1808]). North Tian-Shan: Ketmen, Kungey Ala-Too, Transili Alatau, Terskey Ala-Too Mts.; Inner Tian-Shan: Dzhetim-Bel, Borkoldoi Mts.; Central Tian-Shan: all ridges.

P. venus (Staudinger, 1886). North Tian-Shan: Kirghizsky, Kungey Ala-Too Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgaltoo, Moldo-Too, Baidulu, Dzhetim-Bel Mts.

P. thersites (Cantener, 1834). North Tian-Shan: all ridges; West Tian-Shan: Chatkalsky Mts.; Inner Tian-Shan: baidulu, Dzhetim-Bel, Naryntoo, Dzhumgaltoo Mts.

P. magnificus (Grum-Grshimailo, 1885). West Tian-Shan: Fergansky Mts.

P. ripartii (Freyer, 1830). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Dzhumgal-Too, Moldo-Too, Naryntoo, Baidulu, Dzhetim-Bel Mts.

P. damon ([Denis et Schiffermüller], 1775). North Tian-Shan: all ridges; Inner Tian-Shan: Baidulu, Kara-Dzhorgo, Dzhumgaltoo Mts.

P. iphigenides (Staudinger, 1886). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: all ridges; Inner Tian-Shan: all ridges; Central Tian-Shan: all ridges.

P. juldusus (Staudinger, 1886). North Tian-Shan: Ketmen Mts.

P. kuronjerus Korb, 2011. Inner Tian-Shan: Dzhumgaltoo Mts.

P. karatavicus Lukhtanov, 1990. West Tian-Shan: Syrdaryinsky Karatau Mts.

P. rueckbeili (Forster, 1960). North Tian-Shan: Kurghizsky, Terskey Ala-Too Mts.; Inner Tian-Shan: Baidulu Mts.

P. actinides (Staudinger, 1886). North Tian-Shan: Kirghizsky, Kungey Ala-Too, Transili Alatau Mts.

P. praeactinides (Forster, 1960). West Tian-Shan: Talassky, Chatkalsky, Karzhantau, Pskemsky Mts.

P. phyllides (Staudinger, 1886). North Tian-Shan: Kirghizsky Mts.; West Tian-Shan: all ridges.

P. amandus (Schneider, 1792). North Tian-Shan: all ridges; West Tian-Shan: all ridges; Inner Tian-Shan: Moldo-Too, Naryntoo, Suusamyrtoo, Dzhumgaltoo Mts.

Acknowledgments

I am greatly indebted to curators of lepidopterological collections used for this study: Prof Dr A.Y. Sinev and Dr A.L. Lvovsky (Zoological Institute, St.-Petersburg, Russia), Dr A.V. Sviridov (Zoological Museum, Moscow State University, Moscow, Russia), Dr W. Mey (Museum für Naturkunde, Berlin, Germany), Dr L. Kaila and Dr J. Kullberg (Finnish Natural History Museum, Helsinki, Finland), Dr A.G. Tatarinov and O.I. Kulakova (Zoological Museum, Institute of Biology, Komi Science Centre, Syktyvkar, Russia). I am very thankful to D.A. Pozhigin (Nizhny Novgorod, Russia), A.A. Shaposhnikov (Podolsk, Russia), T.Y.B. Kosarev (Nizhny Novgorod, Russia), L.V. Kaabak (Moscow, Russia) and V.V. Titov (Zheleznodorozhny, Russia) to granting access for materials stored in their private collections.

References

- Alphéraky, S. (1881). Lépidoptères du district de Kouldjà et des montagnes environnantes. *Horae Societatis Entomologicae Rossicae*, 16, 334–435.
- Gvozdetsky, N.A. & Mikhailov, N.I. (1978). *Physical geography of USSR. Asiatic part. Edition 3, reformatted and updated*. Moscow: Mysl (in Russian).
- Korb, S.K. (2000). A review of the butterfly fauna (Lepidoptera, Rhopalocera) of North Tian-Shan. *Zoologichesky Zhurnal*, 79, 824–832 (in Russian).

- Korb, S.K. (2011). A distributive list, biotope preferences and flight periods of butterflies of North Tian Shan (Lepidoptera, Diurna). *Atalanta*, 42, 149–189.
- Korb, S.K. (2012). Butterflies (Lepidoptera: Papilionoformes) of North Tian-Shan. Part 1. Hesperiidae, Papilionidae, Pieridae, Libytheidae, Satyridae. *Eversmannia*, Suppl. 3 (in Russian).
- Korb, S.K. (2013). Butterflies (Lepidoptera: Papilionoformes) of North Tian-Shan. Part 2. Nymphalidae, Riodinidae, Lycaenidae. *Eversmannia*, Suppl 4 (in Russian).
- Korb, S.K. (2015). Butterflies of Inner Tian-Shan (Lepidoptera: Papilionoformes). *Eversmannia*, Suppl. 6 (in Russian).
- Korb, S.K. (2017). Butterflies of Central Tian-Shan (Lepidoptera: Papilionoformes). *Eversmannia*, 39, 24–49 (in Russian).
- Staudinger, O. (1886). Centralasiatische Lepidopteren. *Stettiner entomologische Zeitung*, 47, 193–215, 225–256.
- Staudinger, O. (1888). Centralasiatische Lepidopteren. *Stettiner entomologische Zeitung*, 49, 1–65.
- Staudinger, O. (1889). Centralasiatischen Lepidopteren. *Stettiner entomologische Zeitung*, 50, 16–60.
- Tshikolovets, V.V. (2005). *The butterflies of Kyrgyzstan*. Kiev-Brno: Tshikolovets.
- Zhdanko, A.B. (2005). Butterflies (Lepidoptera: Papilioidea, Hesperioidea) of Kazakhstan. *Tethys entomological Research*, 11, 85–152.

Citation:

Korb, S.K. (2017). A distribution list of the butterflies (Lepidoptera, Rhopalocera) of Tian-Shan within the boundaries of the former Soviet Union. *Acta Biologica Sibirica*, 3 (1), 23–33.

Submitted: 15.12.2016. **Accepted:** 20.02.2017

crossref <http://dx.doi.org/10.14258/abs.v3i1.2179>



© 2017 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).