

# Lepidoptera of South Ossetia (Northern Transcaucasia). Part II. Cossidae, Limacodidae, Erebidae (Lymantriinae, Arctiinae, Syntominae, Notodontinae), Lasiocampidae, Lemoniidae, Saturniidae, Sphingidae, Drepanidae and Cimeliidae

<i>Aleksandr N. Streltsov</i>	Herzen State Pedagogical University of Russia, 48 Moika Emb., Saint Petersburg 191186, Russia; <a href="https://orcid.org/0000-0002-5658-8515">https://orcid.org/0000-0002-5658-8515</a>
<i>Petr Ya. Ustjuzhanin</i>	Altai State University, 61 Lenina Ave., Barnaul 656049, Russia; Biological Institute, Tomsk State University, 36 Lenina Ave., Tomsk 634050, Russia; <a href="https://orcid.org/0000-0002-5222-2241">https://orcid.org/0000-0002-5222-2241</a>
<i>Pavel S. Morozov</i>	Moscow Society of Naturalists, Moscow, Russia; <a href="https://orcid.org/0000-0003-1393-0867">https://orcid.org/0000-0003-1393-0867</a>
<i>Artem E. Naydenov</i>	Altai State University, 61 Lenina Ave., Barnaul 656049, Russia
<i>Vitaly M. Spitsyn</i>	N. Laverov Federal Center for Integrated Arctic Research of the Ural Branch of the Russian Academy of Sciences, Arkhangelsk, Russia; <a href="https://orcid.org/0000-0003-2955-379">https://orcid.org/0000-0003-2955-379</a>
<i>Roman V. Yakovlev</i>	Altai State University, 61 Lenina Ave., Barnaul, 656049, Russia; Biological Institute, Tomsk State University, 36 Lenina Ave., Tomsk, 634050, Russia; <a href="https://orcid.org/0000-0001-9512-8709">https://orcid.org/0000-0001-9512-8709</a>

In the third part of the publication, we present the faunal list of nine families of the Macrolepidoptera of South Ossetia, including 4 species of Cossidae, 2 species of Limacodidae, 40 species of Erebidae, 15 species of Sphingidae, 6 species of Lasiocampidae, 1 species of Saturniidae and Lemoniidae, 5 species of Drepanidae and 1 species of Cimeliidae. Fifty nine species are reported for South Ossetia for the first time.

Corresponding author: Aleksandr N. Streltsov ([streltsov@mail.ru](mailto:streltsov@mail.ru))

Academic editor: A. Matsyura | Received 16 November 2022 | Accepted 10 December 2022 |  
Published 14 December 2022

<http://zoobank.org/4C48B565-95F6-4F5F-96A2-E25B107C7E22>

**Citation:** Streltsov AN, Ustjuzhanin PYa, Morozov PS, Naydenov AE, Spitsyn VM, Yakovlev RV (2022) Lepidoptera of South Ossetia (Northern Transcaucasia). Part II. Cossidae, Limacodidae, Erebidae (Lymantriinae, Arctiinae, Syntominae, Notodontinae), Lasiocampidae, Lemoniidae, Saturniidae, Sphingidae, Drepanidae and Cimeliidae. Acta Biologica Sibirica 8: 647–654. <https://doi.org/10.14258/abs.v8.e40>

## Keywords

Biodiversity, Caucasus, Macrolepidoptera, Noctuoidea, Bombycoidea, Drepanoidea.

## Introduction

The nocturnal Lepidoptera of Southern Ossetia very poorly studied (excluding Noctuidae) (Pospelov et al. 1986; Pukhaev et al. 1987; Pukhaev & Pukhaeva 1989, 1991; Pukhaeva 1995; Komarov 2013; Dobronosov & Komarov 2015). Before our study, the data on Macroheterocera had been published only (Komarov 2013; Dobronosov & Komarov 2015; Bazaev et al. 2017).

In the first part of this series of articles, we provided 111 species of Pyraloidea (Streltsov et al. 2022a, 2022b). In the second part, we publish the data on eight Macrolepidoptera families (Cossidae, Limacodidae, Erebidae (Lymantriinae, Arctiinae, Syntominiinae, Notodontinae), Lasiocampidae, Saturniidae, Sphingidae, Drepanidae and Cimeliidae) of South Ossetia. This information has not been published before.

## Material and methods

The material and methods are described in detail in the first part of the article (Streltsov et al. 2022b). The determination of Material was carried out according to modern reference books and articles (Schintlmeister 2008; Zolotuhin 2015; Yakovlev et al. 2015; Zolotuhin & Evdoshenko 2019; Zolotuhin & Nedoshivina 2021).

### **The examined material is kept in the collections:**

**ASSP** collection of Alexandr Streltsov (Saint-Petersburg, Russia);

**CUK** collection of Petr Ustjuzhanin and Vasiliy Kovtunovich (Novosibirsk, Moscow, Russia);

**PMM** collection of Pavel Morozov (Moscow, Russia);

**RMBH** Russian Museum of Biodiversity Hotspots, N. Laverov Federal Center for Integrated Arctic Research of the Ural Branch of the Russian Academy of Sciences (Arkhangelsk, Russia);

**RYB** collection of Roman Yakovlev (Barnaul, Russia);

**ZISP** Zoological Institute of the Russian Academy of Sciences (Saint-Petersburg, Russia).

### **List of collecting localities**

1. South Ossetia, Tskhinval Distr., 2 km NW Grom, 42°10'6" N / 44°11'53" E, 930 m, 22–25.06.2021, A. Streltsov, P. Ustjuzhanin & R. Yakovlev leg.
2. South Ossetia, Leningor Distr., 4 km E Leningor, 42°08'45"N, 44°30'55"E / 1200 m, 26–27.06.2021, A. Streltsov, P. Ustjuzhanin & R. Yakovlev leg.
3. South Ossetia, Dzaus Distr., 4 km NNE Kvaisa, Koz lake, 42°33'32" N / 43°37'59" E, 1580 m, 28–30.06.2021, A. Streltsov, P. Ustjuzhanin & R. Yakovlev leg.
4. South Ossetia, Dzaus Distr., Rachinsky Range, near Dodtota, 42°27'25" N / 43°43'18" E, 1750 m, 1–2.07.2021, A. Streltsov, P. Ustjuzhanin & R. Yakovlev leg.

5. South Ossetia, Dzaus Distr., Dvalet Range, near Kherusel't, 42°32'37" N / 43°47'32" E, 1760 m, 3–5.07.2021, A. Streltsov, P. Ustjuzhanin & R. Yakovlev leg.

6. South Ossetia, Dzaus Distr., Mtiulet Range, near Erman, 42°31'2" N / 44°14'10" E, 2140 m, 7–9.07.2021, P. Ustjuzhanin & R. Yakovlev leg.

7. South Ossetia, Znaur Distr., 2 km W Dzagina, 42°14'34" N / 43°43'11" E, 1100 m, 11–12.07.2021, P. Ustjuzhanin & R. Yakovlev leg.

## Results

#	Taxa	localities						
		1	2	3	4	5	6	7
Cossidae								
1	<i>Cossus cossus</i> (Linnaeus, 1758)	+	+	-	-	-	-	+
2	<i>Acothus terebra</i> ([Denis & Schiffermüller], 1775)	-	+	-	-	-	-	-
3	<i>Dyspessa salicicola</i> (Eversmann, 1848)	+	-	-	-	-	-	-
4	<i>Zeuzera pyrina</i> (Linnaeus, 1761)	-	-	-	-	-	-	+
Limacodidae								
5	<i>Apoda limacodes</i> (Hufnagel, 1766)	+	+	-	-	-	-	+
6	<i>Heterogenea asella</i> ([Denis & Schiffermüller], 1775)	-	-	+	-	-	-	-
Erebidae								
Arctiinae								
7	<i>Callimorpha dominula</i> (Linnaeus, 1758) (Fig. 1)	+	+	+	-	-	-	-
8	<i>Arctia caja</i> (Linnaeus, 1758)	-	-	-	-	+	+	-
9	<i>Arctia (Epicallia) villica</i> (Linnaeus, 1758)	+	+	-	-	-	-	-
10	<i>Diacrisia sannii</i>	+	+	-	+	+	+	-

	o (Linnaeus, 1758)							
11	<i>Diacrisia (Rhyparia) purpurata</i> (Linnaeus, 1758)	-	-	-	-	-	-	-
12	<i>Phragmatobia fuliginosa</i> (Linnaeus, 1758)	-	+	-	-	-	-	+
13	<i>Diaphora mendica</i> (Clerck, 1759)	+	+	-	-	-	-	-
14	<i>Spilosoma lubricipedium</i> (Linnaeus, 1758)	+	-	-	+	-	-	-
15	<i>Lithosia quadra</i> (Linnaeus, 1758)	+	+	+	-	-	-	+
16	<i>Kathodes pressa</i> (Esper, 1787)	+	+	+	+	-	-	+
17	<i>Wittia sororcula</i> (Hufnagel, 1766)	+	+	+	-	-	+	
18	<i>Eilema niolum</i> (Hübner, 1808)	-	-	-	+	-	-	-
19	<i>Manulea complana</i> (Linnaeus, 1758)	+	-	+	-	-	-	+
20	<i>Manulea pygmaeola</i> (Doubleday, 1847)	-	-	-	-	-	-	+
21	<i>Manulea lurideola</i> ([Zincken], 1817)	+	+	-	-	-	-	+
22	<i>Cybosia mesomella</i> (Linnaeus, 1758)	+	-	-	-	-	-	-
23	<i>Atolmis rubricollis</i> (Linnaeus, 1758)	-	-	+	-	-	-	-
24	<i>Setina</i>	-	-	-	-	+	-	+

	<i>aurat</i> <i>a</i> (Menetries, 1832)							
25	<i>Dysauxes</i> <i>famul</i> <i>a</i> (Freyer, 1836)	-	-	-	+	-	-	-
26	<i>Dysauxespu</i> <i>nctat</i> <i>a</i> (Fabricius, 1781)	+	-	-	-	-	-	-
<b>Lymantriinae</b>								
27	<i>Calliteara</i> <i>p</i> <i>ud</i> <i>ibun</i> <i>da</i> (Linnaeus, 1758)	-	-	+	+	-	-	-
28	<i>Lymantria</i> <i>dispa</i> <i>r</i> (Linnaeus, 1758)	-	+	-	-	-	-	-
29	<i>Lymantria</i> <i>monacha</i> (Linnaeus, 1758)	-	-	-	-	-	-	+
30	<i>Leucoma</i> <i>salicis</i> (Linnaeus, 1758)	-	-	-	+	+	-	-
31	<i>Arctornis l-</i> <i>nigrum</i> (Müller, 1764)	+	-	-	-	-	-	+
<b>Syntominae</b>								
32	<i>Syntomis</i> <i>pheg</i> <i>ea</i> (Linnaeus, 1758) (Fig. 2)	+	-	-	-	-	-	-
<b>Notodontinae</b>								
33	<i>Clostera</i> <i>curtula</i> (Linnaeus, 1758)	-	-	-	-	-	-	+
34	<i>Stauropus</i> <i>fagi</i> (Linnaeus, 1758) (Fig. 3)	+	+	+	+	-	-	+
35	<i>Drymoniaobl</i> <i>iterat</i> <i>a</i> (Esper, 1785)	-	-	+	+	-	-	-
36	<i>Drymonia</i> <i>velitaris</i> <i>pont</i>	-	+	-	-	-	-	+

	<i>ica</i> (Rebel, 1908)							
37	<i>Notodonta dromedarius</i> (Linnaeus, 1758)	-	+	+	+	+	-	-
38	<i>Notodonta tritophus</i> ([Denis & Schiffermüller], 1775)	-	-	+	-	-	-	+
39	<i>Notodonta derbendica</i> Daniel, 1965	+	+	-	+	+	+	-
40	<i>Pheosia tremula</i> (Clerck, 1759)	-	+	-	-	-	-	-
41	<i>Pterostoma palpina</i> (Clerck, 1759)	+	+	+	-	-	-	-
42	<i>Ptilodon capucina</i> (Linnaeus, 1758)	-	-	+	+	+	+	-
43	<i>Ptilodon sardabensis</i> (Daniel, 1938)	-	+	+	+	+	+	-
44	<i>Furcula bifida</i> (Brahm, 1787)	-	-	-	-	-	-	+
45	<i>Furcula furculapulgivigera</i> (Staudinger, 1901)	+	-	+	-	-	-	+
46	<i>Phalera bucephala</i> (Linnaeus, 1758)	+	-	+	-	-	-	-
Sphingidae								
47	<i>Laothoe populi</i> (Linnaeus, 1758)	+	+	+	-	-	-	+
48	<i>Laothoe caucaso</i> Zolotuhin, 2018	+	+					
49	<i>Smerinthus ocellatus</i> (Linnaeus, 1758)	+	+	+	-	-	-	+

50	<i>Marumba quercus</i> ([Denis & Schiffermüller], 1775)	+	-	-	-	-	-	-
51	<i>Mimas tiliae</i> (Linnaeus, 1758)	+						
52	<i>Sphinx ligustris</i> Linnaeus, 1758	+	-	-	+	-	-	-
53	<i>Hyloicus pinastri</i> (Linnaeus, 1758)	-	-	+	-	+	-	+
54	<i>Hemaris fuciformis</i> (Linnaeus, 1758)	+	-	-	-	-	-	-
55	<i>Hyles euphrobiae</i> (Linnaeus, 1758)	-	-	-	-	-	-	+
56	<i>Hyles livornica</i> (Esper, 1780)	-	-	-	-	-	-	+
57	<i>Hyles verticillata</i> (Esper, 1780)	-	-	-	+	+	-	-
58	<i>Macroglossum stellatarum</i> (Linnaeus, 1758)	-	+	-	-	-	-	-
59	<i>Deilephila elpenor</i> (Linnaeus, 1758)	-	+	+	-	-	-	-
60	<i>Choerocampa porcellus</i> (Linnaeus, 1758)	+	+	-	-	+	+	+
61	<i>Choerocampa suellus</i> (Staudinger, 1878)	+	-	-	-	-	-	-
Lasiocampidae								
62	<i>Dendrolimus pini</i>	+	+	+	-	-	-	-

	(Linnaeus, 1758)							
63	<i>Phyllodesma joan nisi</i> Lajonquière, 1963	-	+	-	-	+	-	-
64	<i>Malacasoma franconica squalora</i> Zolotuhin, 1992	-	-	-	+	-	-	-
65	<i>Malacasoma neustria</i> (Linnaeus, 1758)	+	+	-	-	-	-	+
66	<i>Malacasoma castrensis</i> (Linnaeus, 1758)	-	-	-	-	-	-	+
67	<i>Gastropacha quercifolia</i> (Linnaeus, 1758)	+	-	-	-	-	-	-
Saturniidae								
68	<i>Saturnia pyri</i> ([Denis & Schiffermüller], 1775)	-	+	-	-	-	-	-
Drepanidae								
69	<i>Tethea ocellaris</i> (Linnaeus, 1767)	-	+	-	-	-	-	-
70	<i>Tethea or</i> ([Denis & Schiffermüller], 1775)	+	-	+	+	-	-	-
71	<i>Habrosyne pyritoides</i> (Hufnagel, 1766)	-	+	+	+	-	-	-
72	<i>Thyatira batis</i> (Linnaeus, 1758)	-	-	+	-	-	+	+
73	<i>Cilix asiatica</i> A. Bang-Haas, 1907	-	+	-	-	-	-	-
Cimeliidae								
74	<i>Axia olga</i> (Staudinger, 1899)	-	-	+	-	-	-	-

**Table 1.** Distribution of Macroheterocera in South Ossetia





**Figure 1.** *Callimorpha dominula* (Linnaeus, 1758) (photo by A. Streltsov).



**Figure 2. Figures 2-3.** 2 – *Syntomis phegea* (Linnaeus, 1758) (photo by A. Streltzov). 3 – *Stauropus fagi* (Linnaeus, 1758) (photo by A. Streltzov).

## Discussion

Most of the found species are new for the fauna of South Ossetia. Only eight of the species known before (Komarov 2013; Dobronosov & Komarov 2015) are absent in our collection: *Spilarctia lutea* (Hufnagel, 1766), *Spilosoma urticae* (Esper, 1789), *Utetheisa pulchella* (Linnaeus, 1758) (Erebidae), *Neopterodonta gorgoniades* (Hübner, 1819), *Acherontia atropos* (Linnaeus, 1758), *Agrius convolvuli* (Linnaeus, 1758) (Sphingidae), *Lemonia taraxaci* ([Denis & Schiffermüller], 1775) (Lemoniidae), and *Phyllodesma tremulifolia* (Hübner, [1810]) (Lasiocampidae). Thus, the known fauna of Macroheterocera of South Ossetia includes 82 species of 9 families.

## Acknowledgments

The authors express their gratitude to R. Bakhanov (Gorno-Altai), A. Dzhussoev†, F. Dzagoev, V. Tedeev, and V. Gabaev (all Tskhinvali) for organizing the field studies in the South Ossetia in June–July of 2021. For finding rare publications, we are grateful to Yu. Komarov and R. Pukhaev (Vladikavkaz). In conclusion, we would like to thank all the people of South Ossetia, whom we met during the expedition, for their help and politeness towards us and our work.

Research by Roman Yakovlev, Artem Naydenov and Petr Ustyuzhanin was supported by a grant from Altai State University No. 15/22 - VG (11 April 2022) “Lepidoptera of South Ossetia”.

## References

Bazaev FB, Bestaev AZ, Busarova NV, Butaeva FG, Vaniev AG, Gabaev VN, Dzhioeva TsG,

Doroshina GYa, Kabulov AZ, Kabulov ZE, Kabulov ID, Kachmazov DG, Kokoev TI, Komarov YuE, Lavrinenko YuV, Lotiev KYu, Nikolaev IA, Pukhaev RV, Pukhaeva ZA, Timuthin IN, Tuniev BS, Tuniev SB, Khetagurov KhA, Tskhovrebova SS, Tskhovrebova NI, Chibirova AKh, Shikov EV, Yusupov ZM (2017) Red data book of South Ossetia. Nalchik: Poligraphservis & T. 304 pp. [in Russian]

Dobronosov VV, Komarov YE (2015) To the knowledge of the fauna of Macrolepidoptera (Lepidoptera, Heterocera) of the Republic of South Ossetia. Bulletin of the Krasnodar Regional Branch of the Russian Geographical Society, 8: 179–186 [in Russian]

Komarov YE (2013) To the fauna of nocturnal Lepidoptera of the Republic of South Ossetia. Biodiversity and rational use of natural resources (Materials of the All-Russian Conference with International Participation, Makhachkala, 27–28 March 2013): 107–109. [in Russian]

Pospelov SM, Pukhaev RV, Pukhaeva ZA (1986) Rare Noctuid species (Lepidoptera, Noctuidae) of Liakhva Reserve. Abstracts of the 1st Transcaucasian Conference on Entomology (Erevan): 153–154 [in Russian]

Pukhaev RV, Pukhaeva ZA (1989) On the fauna of Noctuid-Moths (Lepidoptera, Noctuidae) of South-Ossetian autonomous region of Georgian SSR. Abstracts of the 2st Transcaucasian Conference on Entomology (Tbilisi): 150–160 [in Russian]

Pukhaev RV, Pukhaeva ZA (1991) Noctuid-Moths of the forests of South Ossetia. Abstracts of the 6st Conference of MLI (Moscow), 1: 43–44 [in Russian]

Pukhaev RV, Pukhaeva ZA, Kabulov ZE (1987) On the fauna and biology of Noctuid-Moths of Liakhva Reserve. Reserves of Georgia (Tbilisi), 6: 234–247 [in Russian]

Pukhaeva ZA (1995) Noctuid-Moths of the southern slopes of Central Caucasus and biological rationale for pest control. Thesis of dissertation. Saint-Petersburg. 21 p. [in Russian]

Schintlmeister A (2008) Palaearctic Macrolepidoptera 1. Notodontidae. Apollo Books, Stenstrup, 482 p.

Streltsov AN, Ustjuzhanin PYa, Yakovlev RV (2022a) A new species of the Genus *Scoparia* Haworth, 1811 (Lepidoptera: Pyraloidea, Crambidae) from the Transcaucasia. Far Eastern Entomologist, 457: 1–6. doi: 10.25221/fee.457.1

Streltsov AN, Ustjuzhanin PYa, Yakovlev RV (2022b) Lepidoptera of South Ossetia (Northern Transcaucasia). Part I. Introduction and Superfamily Pyraloidea Latreille, 1809. Acta biologica sibirica 8: 281–296.

Yakovlev RV, Poltavsky AN, Ilyina EV, Shchurov VI, Witt Th (2015) Cossidae (Lepidoptera) of the Russian Caucasus with the description of a new species. Zootaxa 4044(2): 270–288. <http://dx.doi.org/10.11646/zootaxa.4044.2.5>

Zolotuhin VV (2015) Lappet Moths (Lepidoptera: Lasiocampidae) of Russia and Adjacent Territories. Korporaciya tekhnologiy prodvizheniya, Ulyanovsk, 384 p. [in Russian]

Zolotuhin VV, Evdoshenko SI (2019) Hawk moths (Lepidoptera: Sphingidae) of Russia and Adjacent Territories. Korporaciya tekhnologiy prodvizheniya, Ulyanovsk, 408 p. [in Russian]

Zolotuhin VV, Nedoshivina SV (2021) Drepanoid lepidopterans (Lepidoptera: Drepanoidea) of Russia and Adjacent Territories. Korporaciya tekhnologiy prodvizheniya, Ulyanovsk, 480 p. [in Russian]

