



Lepidoptera of South Ossetia (Northern Transcaucasia). Part IV. Microlepidoptera: Adelidae to Choreutidae

Sergey Yu. Sinev

Zoological Institute of the Russian Academy of Sciences, 1 Universitetskaya Emb., Saint Petersburg 199034, Russia
Saratov State University, 83 Astrakhanskaya Str., Saratov 410012, Russia

Vasiliy V. Anikin

Vitebsk State University, 33 Moskovsky Ave., Vitebsk 210038, Belarus

Vladimir I. Piskunov

Herzen State Pedagogical University of Russia, 48 Moika

Emb., Saint Petersburg 191186, Russia

Aleksandr N. Streltzov

Altai State University, 61 Lenina Ave., Barnaul 656049, Russia; Biological Institute, Tomsk State University, 36 Lenina Ave., Tomsk 634050, Russia

Petr Y. Ustjuzhanin

Altai State University, 61 Lenina Ave., Barnaul 656049, Russia; Biological Institute, Tomsk State University, 36 Lenina Ave., Tomsk 634050, Russia

Roman V. Yakovlev

Altai State University, 61 Lenina Ave., Barnaul 656049, Russia; Biological Institute, Tomsk State University, 36 Lenina Ave., Tomsk 634050, Russia

A list of 143 species of Microlepidoptera from 27 families is provided, compiled based on the results of processing materials collected in 2021–2022; all species are recorded for the first time for the territory of South Ossetia.

Acta Biologica Sibirica 9: 1061-1072 (2023) doi: 10.5281/zenodo.10213217

Corresponding author: Sergey Yu. Sinev (sergey.sinev@zin.ru)

Academic editor: A. Matsyura | Received 9 November 2023 | Accepted 26 November 2023 | Published 30 November 2023

<http://zoobank.org/BFB12430-F1B6-4095-B46D-597F66913755>

Citation: Sinev SYu, Anikin VV, Piskunov VI, Streltzov AN, Ustjuzhanin PY, Yakovlev RV (2023) Lepidoptera of South Ossetia (Northern Transcaucasia). Part IV. Microlepidoptera: Adelidae to Choreutidae. Acta Biologica Sibirica 9: 1061-1072. <https://doi.org/10.5281/zenodo.10213217>

Keywords

Biodiversity, Caucasus, South Ossetia, fauna, Microlepidoptera

Introduction

This article continues the series of publications devoted to the lepidopterofauna of South Ossetia and covers most families of Microlepidoptera. Only Pyraloidea, Cossidae, Limacodidae, part of Erebidae, Notodontidae, Lasiocampidae, Lemoniidae, Saturniidae, Sphingidae, Drepanidae, Cimeliidae, Tortricidae, Pterophoridae and Alucitidae were previously treated (Streltzov et al. 2022

a, b; Nedoshivina et al. 2023). In the fourth part we publish data on families Adelidae, Incurvariidae, Psychidae, Tineidae, Roeslerstammiidae, Gracillariidae, Yponomeutidae, Argyresthiidae, Plutellidae, Ypsolophidae, Ethmiidae, Depressariidae, Elachistidae, Scythrididae, Cryptolechiidae, Oecophoridae, Lecithoceridae, Stathmopodidae, Coleophoridae, Momphidae, Blastobasidae, Autostichidae, Lypusidae, Cosmopterigidae, Gelechiidae, Epermeniidae, and Choreutidae, information about which in South Ossetia was not previously available.

A detailed description of the natural conditions and history of studying the lepidoptero fauna of the region is contained in the first article in the series, dedicated to Lepidoptera (Streltzov et al. 2022a) and is not discussed here.

Materials and methods

The specimens were collected in South Ossetia in eight localities (Fig. 1) by A. N. Streltzov, P. Y. Ustjuzhanin and R. V. Yakovlev in June–July 2021 and by V.V. Rudoi, P. Y. Ustjuzhanin and R. V. Yakovlev in July 2022. The collections were carried out by manual collecting during the daytime and at dusk, as well as on light screens Naturaliste-150 and Naturaliste-180 (using lamps OSRAM-160, 250 W), powered by the inverter generator Honda EU10i and autonomous light traps ENTOSPHINX lamp UV LED 12 V/19,2W (equipped with diodes 240 UV LED). Deadening of the specimens was carried out using ethyl acetate. The material was mounted on entomological pins.

The examined material is kept in the collections of Vasiliy Anikin (Saratov, Russia – Coleophoridae) and Zoological Institute of the Russian Academy of Sciences (St. Petersburg, Russia – all other groups). Taxonomy and nomenclature are given according to the latest edition of the Catalogue of the Lepidoptera of Russia (Sinev 2019). The input of the authors in the identification of the material is as follows: V.V. Anikin – Coleophoridae; V.I. Piskunov – Gelechiidae; S. Yu. Sinev – all other families.

List of collecting localities

1. South Ossetia, Tskhinval Distr., 2 km NW Grom, 42°10'6" N / 44°11'53" E, 930 m, 22–25.06.2021, A. Streltzov, P. Ustjuzhanin & R. Yakovlev leg.
2. South Ossetia, Leningor Distr., 4 km E Leningor, 42°08'45" N, 44°30'55" E / 1200 m, 26–27.06.2021, A. Streltzov, P. Ustjuzhanin & R. Yakovlev leg.; 13–14.07.2022, P. Ustjuzhanin & R. Yakovlev leg.
3. South Ossetia, Dzaus Distr., 4 km NNE Kvaisa, Koz lake, 42°33'32" N / 43°37'59" E, 1580 m, 28–30.06.2021, A. Streltzov, P. Ustjuzhanin & R. Yakovlev leg.
4. South Ossetia, Dzaus Distr., Rachinsky Range, near Dodtota, 42°27'25" N / 43°43'18" E, 1750 m, 1–2.07.2021, A. Streltzov, P. Ustjuzhanin & R. Yakovlev leg.; 19–22.07.2022, V. Rudoi, P. Ustjuzhanin & R. Yakovlev leg.
5. South Ossetia, Dzaus Distr., Dvalet Range, near Kherusel't, 42°32'37" N / 43°47'32" E, 1760 m, 3–5.07.2021, A. Streltzov, P. Ustjuzhanin & R. Yakovlev leg.
6. South Ossetia, Dzaus Distr., Mtulet Range, near Erman, 42°31'2" N / 44°14'10" E, 2140 m, 7–9.07.2021, P. Ustjuzhanin & R. Yakovlev leg.; 26–27.07.2022, V. Rudoi, P. Ustjuzhanin & R. Yakovlev leg.
7. South Ossetia, Znaur Distr., 2 km W Dzagina, 42°14'34" N / 43°43'11" E, 1100 m, 11–12.07.2021, P. Ustjuzhanin & R. Yakovlev leg.; 15–16.07.2022, P. Ustjuzhanin & R. Yakovlev leg.

8. South Ossetia, Dzaus Distr., Tli, 42°29'31" N / 43°51'22" E, 1860 m, 23–25.07.2022, V. Rudoi, P. Ustjuzhanin & R. Yakovlev leg. (Figs 2-3).




Figure 1. Map of South Ossetia with collecting localities.



Figure 2. South Ossetia, Dzaus Distr., Tli, $42^{\circ}29'31''$ N / $43^{\circ}51'22''$ E (photo by Roman Yakovlev).

3



Figure 3. South Ossetia, Dzaus Distr., Tli, 42°29'31" N / 43°51'22" E (photo by Roman Yakovlev).

Result

#	Taxa	Localities								
		1	2	3	4	5	6	7		
	ADELIDAE									
1	<i>Nemophora deceptoriel la</i> Kozlov, Mutanen, Lee et Huemer, 2017 ¹	-	-	+	-	+	-	-	-	-
	INCURVA RIIDAE									
2	<i>Incurvaria oehlmannie lla</i> (Hübner, 1796)	-	-	+	+	+	-	-	-	-
	PSYCHIDA E									
3	<i>Pseudoban</i>	+	-	+	-	-	-	-	-	-

	<i>kesia caucasica</i> (I. Kozhats hikov, 1956) ²								
	TINEIDAE								
4	<i>Ateliotum hungaricell um</i> Zeller, 1839	-	-	-	-	-	-	+	-
5	<i>Eudarcia</i> sp. ³	-	-	-	-	-	-	+	-
6	<i>Scardia c au casi ca</i> Zagulajev, 1965 ⁴	-	-	-	-	-	-	+	-
7	<i>Morophaga</i> (Denis et S chiffermüller, 1775)	-	+	-	-	-	-	-	-
8	<i>Morphago ides iranensis</i> (Petersen, 1960)	-	-	+	+	-	-	-	-
9	<i>Nemapogon gliriella</i> (Heyden, 1865)	+	-	-	-	-	-	-	-
10	<i>N. inconditella</i> (D. Lucas, 1956)	+	-	-	-	-	-	-	-
11	<i>Niditinea striolella</i> (Matsumura , 1931)	-	+	-	-	-	-	-	-
12	<i>Monopis obviella</i> (Denis et S chiffermüller, 1775)	+	+	-	-	-	-	-	-
13	<i>Euplocamus anthracinalis</i> (Scopoli, 1763)	+	-	-	-	-	-	-	-
	ROESLER STAMMIID AE								
14	<i>Roeslerstammia</i>	-	-	-	-	-	-	+	-

	(Denis et Schiffermüller, 1775)								
	GRACILLA RIIDAE								
15	<i>Aspilapteryx tringipennella</i> (Zeller, 1839)	-	-	-	-	-	-	+	-
16	<i>Parornix fagivorana</i> (Frey, 1861)	-	-	-	-	+	-	-	-
17	<i>Dialectica scalariella</i> (Zeller, 1850)	-	-	-	+	-	-	-	-
	YPONOMEUTIDAE								
18	<i>Yponomeutaea</i> (Hübner, 1813)	+	+	+	-	-	-	-	-
19	<i>Paraswamerdamianebulella</i> (Goeze, 1783)	+	-	-	-	-	-	+	-
	ARGYRESTHIIDAE								
20	<i>Argyresthia albistria</i> (Haworth, 1828)	+	-	-	-	-	-	-	-
21	<i>A. bergiella</i> (Ratzeburg, 1840)	-	-	+	+	+	-	-	-
22	<i>A.</i> (Hübner, 1813)	-	-	-	+	+	-	-	-
23	<i>A. conjugella</i> Zeller, 1839	-	+	-	+	-	+	-	-
24	<i>A. goedartella</i> (Linnaeus, 1758)	-	-	-	+	+	+	-	+

25	<i>A. pruniella</i> (Clerck, 1759)	+	-	-	-	-	-	-	-	-
26	<i>A. spinosella</i> Stainton, 1849	-	-	-	-	+	-	-	-	-
	PLUTELLI DAE									
27	<i>Plutella xylostella</i> (Linnaeus, 1758)	+	+	-	-	+	-	+	+	
28	<i>Eidophasia messingiella</i> (Fischer von Röslers tamm, 1840)	-	-	+	-	-	-	-	-	
	YPSOLOPHIDAE									
29	<i>Ypsolopha alperella</i> (Denis et Schiffermüller, 1775)	-	+	-	-	-	-	-	-	
30	<i>Y. dentella</i> (Fabricius, 1775)	+	-	-	-	-	-	-	-	
31	<i>Y. parenthesella</i> (Linnaeus, 1761)	-	+	-	-	-	-	-	-	
32	<i>Y. sequella</i> (Clerck, 1759)	-	+	-	-	-	+	+	-	
	ETHMIIDAE									
33	<i>Ethmia bipunctella</i> (Fabricius, 1775)	+	-	-	-	+	-	+	-	
34	<i>E. haemorrhoidella</i> (Eversmann, 1844)	-	-	+	+	+	-	-	-	
35	<i>E. quadrillella</i>	+	-	-	-	-	-	-	-	

	(Herrich-Schäffer, 1854)								
36	<i>E. pu siella</i> (Linnaeus, 1758)	+	+	-	-	-	-	+	-
37	<i>E. t e rm inella</i> Fletcher, 1938	+	+	-	-	-	-	-	-
	DEPRESS ARIIDAE								
38	<i>Agonopterix</i> (Treitschke, 1832)	+	-	-	-	-	-	-	-
39	<i>A.</i> (Zeller, 1839)	+	-	-	-	-	-	+	-
40	<i>A. cnicella</i> (Treitschke, 1832)	+	-	-	+	-	-	-	-
41	<i>A. ocellana</i> (Fabricius, 1775)	+	-	-	-	-	-	-	-
42	<i>A. propinqua</i> (Treitschke, 1835)	+	-	-	-	-	-	+	-
43	<i>Depressaria douglasella</i> Stainton, 1849	+	-	-	-	-	-	+	-
	ELACHIST IDAE								
44	<i>Elachista unifasciella</i> (Haworth, 1828)	-	-	+	-	-	-	-	-
45	<i>Elachista</i> sp. ⁵	-	-	-	-	+	-	-	-
	SCYTHRID IDAE								
46	<i>Scythris apicalis</i> (Zeller,	+	-	-	-	-	-	-	-

	1847)								
	CRYPTOL ECHIIDAE								
47	<i>Orophia</i> <i>i</i> <i>m</i> <i>but</i> <i>ella</i> (Christoph, 1888) ⁶	-	+	-	+	-	-	-	+
48	<i>O.</i> <i>s</i> <i>or</i> <i>dide</i> <i>lla</i> (Hübner, 1796)	-	-	-	-	-	-	+	-
49	<i>Hypercallia</i> <i>ci</i> <i>tri</i> <i>alis</i> (Scopoli, 1763)	+	+	-	+	-	-	-	-
	OECOPHO RIDAE								
50	<i>Colchia</i> (Erschoff, 1877)	-	+	-	-	-	-	-	-
51	<i>C.</i> <i>z</i> <i>a</i> <i>gul</i> <i>ajevi</i> Lvovsky, 1995 ⁷	-	-	-	-	-	-	+	-
52	<i>Callimodes</i> <i>he</i> <i>ringii</i> (Lederer, 1864) ⁸	-	-	+	-	-	-	-	-
53	<i>Fabiola</i> <i>pokornyi</i> (Nickerl, 1864)	+	-	-	-	-	-	-	-
54	<i>Alabonia s</i> <i>taintoniella</i> (Zeller, 1850)	+	-	-	-	-	-	+	-
55	<i>Crassa</i> <i>uni</i> <i>tella</i> (Hübner, 1796)	-	+	-	-	-	-	-	-
56	<i>Denisia co</i> <i>eruleopicta</i> (Christoph, 1888) ⁹	-	-	+	-	-	-	-	-
57	<i>D.</i> <i>l</i> <i>u</i>	-	+	-	-	-	-	-	-

	<i>tic iliella</i> (Erschoff, 1877)								
58	<i>Pleurota malatya</i> Back, 1973	+	+	-	-	-	-	-	-
59	<i>P. nite ns</i> Staudinger, 1870	+	-	-	-	-	-	-	-
60	<i>P. pla nella</i> (Staudinge r, 1859)	-	-	-	-	-	-	+	-
61	<i>Holoscolia huebneri</i> Koçak, 1980	+	+	-	-	-	-	+	-
	LECITHO CERIDAE								
62	<i>Odites k oll arella</i> (O. Costa, 1832)	-	-	-	-	-	-	+	-
	STATHMO PODIDAE								
63	<i>Stathmopo da ped ella</i> (Linnaeus, 1761)	-	-	+	+	+	-	-	-
	COLEOPH ORIDAE								
64	<i>Haploptilia drymophila</i> Falkovitsh, 1991	-	-	-	+	-	-	+	-
65	<i>Amseliphor a niveicost ella</i> (Zeller, 1839)	-	-	-	-	-	-	+	-
66	<i>Coleophora be tulel la</i> Heinemann , 1876	-	+	-	-	-	-	-	-
67	<i>Orthograph is conyzae</i> (Zeller, 1868)	-	+	-	-	-	-	-	-
68	<i>Phagolamia auricella</i>	-	-	-	-	-	+	-	-

	(Fabricius, 1794)							
69	<i>Ph. serpyll etorum</i> (E. Hering, 1889)	-	-	-	-	-	-	+
70	<i>Damophila alcyonipen nella</i> (Kollar, 1832)	-	+	-	-	-	-	-
71	<i>D. deauratella</i> (Lienig et Zeller, 1846)	-	-	-	+	-	-	+
72	<i>D. paramayrella</i> (Nel, 1993) ¹⁰	-	-	-	-	-	-	+
73	<i>Eupista c au casi ca</i> (Stainton, 1867)	-	-	-	-	-	-	+
74	<i>Eu. ländryi</i> (Baldizzone , 2016) ¹¹	+	-	-	+	-	-	+
75	<i>Eu. pr. lixella</i> (Zeller, 1849) ¹²	-	-	-	-	-	-	+
76	<i>Eu. ornati pennella</i> (Hübner, 1796)	-	+	-	-	-	-	+
77	<i>Eu. samarensis</i> Anikin, 2001	+	+	-	-	-	-	-
78	<i>Multicoloria partitella</i> (Zeller, 1849)	-	-	-	+	-	-	+
79	<i>M. vibice lla</i> (Hübner, 1813)	-	-	-	+	-	-	-
80	<i>Klimeschja oriolella</i> (Zeller, 1849)	+	+	-	-	-	-	+
81	<i>Ardania bilineatella</i> (Zeller, 1849)	+	+	-	-	-	-	+
82	<i>A. colutella</i>	-	-	-	-	-	-	+

	(Fabricius, 1794)								
83	<i>A. congeriella</i> (Staudinge r, 1859) ¹³	+	+	-	-	-	-	-	-
84	<i>Razowskia coronillae</i> (Zeller, 1849)	+	+	-	+	+	-	+	-
85	<i>Casignetell a a rg entu la</i> (Stephens, 1834)	-	-	-	-	-	-	-	+
86	<i>C.</i> (Vallot, 1802)	-	+	-	-	-	-	-	-
87	<i>C.</i> (Mühlig et Frey, 1857)	-	+	-	-	-	-	-	-
88	<i>C. pseudor epe ntis</i> (Toll, 1960)	-	-	-	-	-	-	+	-
	MOMPHID AE								
89	<i>Mompha c onturbatell a</i> (Hübner, 1819)	-	-	-	-	+	+	-	-
	BLASTOB ASIDAE								
90	<i>Blastobasis p on ticell a</i> Sinev, 2007	+	+	-	-	-	-	+	-
	AUTOSTIC HIDAE								
91	<i>Oegoconia quadripunc ta</i> (Haworth, 1828)	+	+	-	-	-	-	+	-
	LYPUSIDA E								
92	<i>Agnoea fla</i>	-	-	+	-	-	-	-	-

	(Denis et S chiffermüller, 1775)							
93	<i>Agnoea su b oc hrell a (Doubleday , 1859)</i>	+	+	+	-	-	-	-
94	<i>Agnoea sp.n.¹⁴</i>	-	+	-	-	-	-	-
	COSMOPT ERIGIDAE							
95	<i>Pyroderces argyrogra mmo s (Zeller, 1847)</i>	+	+	-	-	-	+	-
96	<i>Eteobalea anonymella (Riedl, 1965)</i>	+	-	-	+	+	-	+
	GELECHII DAE							
97	<i>Metzneria aestivella (Zeller, 1839)</i>	-	+	-	-	-	-	-
98	<i>M. intestinella (Mann, 1864)</i>	+	-	-	-	-	-	+
99	<i>M. metzne riella (Stainton, 1851)</i>	-	+	-	+	+	-	+
100	<i>Isophrictis anthemidel la (Wocke, 1871)</i>	+	+	-	+	+	+	+
101	<i>Apodia (Duponchel , 1843)</i>	-	+	-	-	-	-	+
102	<i>Monochroa p ar vulat a (Gozmány, 1957)</i>	+	-	-	-	-	-	-
103	<i>Eulamprote s (Heinemann, 1870)</i>	-	-	-	+	-	-	+

104	<i>Metanarsia modesta</i> Staudinger, 1871	+	-	-	-	-	-	+	-
105	<i>Megacraspedus la go pellus</i> Herrich-Schäffer, 1860	+	-	-	-	-	-	-	-
106	<i>Xystophora pulveratella</i> (Herrich-Schäffer, 1854)	-	-	-	+	-	-	-	-
107	<i>Bryotropha boreella</i> (Douglas, 1851)	-	+	-	-	-	-	-	-
108	<i>B. senectella</i> (Zeller, 1839)	-	+	-	+	-	-	-	-
109	<i>B. similis</i> (Stainton, 1854)	-	-	-	-	+	-	-	-
110	<i>Gelechia nigra</i> (Haworth, 1828)	-	-	-	-	-	-	+	-
111	<i>G. scotocatinella</i> Herrich-Schäffer, 1854	-	-	-	+	-	-	-	-
112	<i>Mirificarma cytisella</i> (Treitschke, 1833)	+	-	-	-	-	-	-	-
113	<i>M. eburnella</i> (Denis et Schiffermüller, 1775)	+	+	-	-	-	-	+	-
114	<i>Chionodes</i> (Zeller, 1839)	-	-	-	-	-	-	+	-

115	<i>Recurvaria leucatella</i> (Clerck, 1759)	+	-	-	-	-	-	-	-
116	<i>Scrobipalpa acuminatella</i> (Sircom, 1850)	-	-	-	-	-	+	-	-
117	<i>Parachronistis albiceps</i> (Zeller, 1839)	+	-	-	-	-	-	+	-
118	<i>Teleiodes vulgella</i> (Denis et Schiffermüller, 1775)	+	-	-	-	-	-	+	-
119	<i>Carpatolechia notatella</i> (Hübner, 1813)	-	-	-	-	+	-	-	-
120	<i>C.</i> (Hübner, 1796)	-	-	+	+	-	-	-	-
121	<i>Teleopsis diffinis</i> (Haworth, 1828)	-	-	-	-	-	+	-	-
122	<i>Altenias criptella</i> (Hübner, 1796)	+	-	-	-	-	-	-	-
123	<i>Sophronia illustrella</i> (Hübner, 1796)	+	+	-	-	-	-	+	-
124	<i>S.</i> (Zeller, 1839)	+	+	-	-	-	-	+	-
125	<i>Aproaerema anthylidella</i> (Hübner, 1813)	-	+	-	-	-	-	+	-
126	<i>Syncopacma cinctella</i> (Clerck, 1759)	-	-	-	+	-	-	-	-
127	<i>S.</i>	-	-	-	+	+	-	+	-

	<i>coronillella</i> (Treitschke , 1833)								
128	<i>S. sangiella</i> (Stainton, 1863)	-	-	-	-	+	-	+	-
129	<i>S.</i> (Zeller, 1839)	-	+	-	+	-	-	+	-
130	<i>S. vinella</i> (Bankes, 1898)	-	-	-	+	+	-	-	-
131	<i>Prolita solutella</i> (Zeller, 1839)	-	+	-	-	-	+	+	-
132	<i>Mesophlep s silacella</i> (Hübner, 1796)	+	-	-	-	-	-	-	-
133	<i>Brachmia bl and ella</i> (Fabricius, 1798)	-	-	-	-	-	-	+	-
134	<i>B. dimidiella</i> (Denis et Schiffermüller, 1775)	-	+	-	+	+	-	+	-
135	<i>Helcystogr amma ruf esc ens</i> (Haworth, 1828)	+	-	-	-	-	-	-	-
136	<i>Acompsia cinerella</i> (Clerck, 1759)	-	+	-	-	+	+	+	-
137	<i>Dichomeris derasella</i> (Denis et S chiffermüller, 1775)	+	-	-	-	-	-	-	-
138	<i>D. polypun ctata</i> Park, 1994	-	-	-	-	-	-	+	-
139	<i>Ananarsia lineatella</i> (Zeller, 1839)	+	+	-	-	-	-	-	-
140	<i>Anarsia</i>	+	+	-	-	-	-	-	-

	<i>s pa rtiell a</i> (Schrank, 1802)								
	EPERMEN IIDAE								
141	<i>Epermenia</i> (Stainton, 1849)	+	-	-	-	-	-	-	-
142	<i>Ochromolo pis z a gul ajevi</i> Budashkin et Sachkov, 1991	+	-	-	-	-	-	-	-
	CHOREUT IIDAE								
143	<i>Anthophila</i> sp. ¹⁵	+	-	-	-	-	-	-	-

Table 1. Distribution of Microlepidoptera in South Ossetia

Faunistic and systematic notes

1. *Nemophora deceptoriella* Kozlov, Mutanen, Lee et Huemer, 2017 Endemic to the Caucasus. A recently described species previously classified as widespread *Nemophora degeerella* (Linnaeus, 1758).
2. *Pseudobankesia caucasica* (I.Kozhatshikov, 1956) Endemic to the Caucasus. The species was described from two males without an abdomen from the vicinity of Borjomi (Georgia). The material was determined taking into account the external similarity of moths and the small (only 80 km) distance of the collection point from the type locality.
3. *Eudarcia* sp. The only specimen of poor condition. To determine the species, additional material must be studied.
4. *Scardia caucasica* Zagulajev, 1965 Endemic to the Caucasus. Some authors consider it as a synonym of widespread *Scardia boletella* (Fabricius, 1794).
5. *Elachista* sp. The only specimen of poor condition. To determine the species, additional material must be studied.
6. *Orophia imbutella* (Christoph, 1888) Subendemic to the Caucasus. Previously known only from Eastern Georgia (Borjomi), northern Turkey and Israel (Lvovsky, 2006).
7. *Colchia zagulajevi* Lvovsky, 1995 Endemic to the Caucasus. Previously known only from Western Georgia (Adzharia) (Lvovsky, 2006).
8. *Callimodes heringii* (Lederer, 1864) Endemic to the Caucasus. Previously known only from Georgia, Armenia, Azerbaijan and the Krasnodar Region of Russia (Lvovsky, 2006).

9. *Denisia coeruleopicta* (Christoph, 1888) Endemic to the Caucasus. Previously known from Georgia, Armenia and the Krasnodar region of Russia (Lvovsky, 2006).
10. *Damophila paramayrella* (Nel, 1993) Previously known from Armenia, South Europe (Baldizzone 2016) and Crimea (Anikin 2019).
11. *Eupista landryi* (Baldizzone, 2016) Subendemic to the Caucasus. Previously known only from Armenia and Turkey (Baldizzone 2016).
12. *Eupista pr. lixella* (Zeller, 1849) The external morphology and genitalia of both male and female are similar with the species of *lixella* complex (Baldizzone et Nel 2014). The safe identification requires the DNA barcoding.
13. *Ardania congeriella* (Staudinger, 1859) New species for Caucasus, previously known from South and Central Europe (Baldizzone 2016) and Crimea (Anikin 2019).
14. *Agnoea* sp.n. Probably an undescribed species, one of the smallest in the genus *Agnoea* Walsingham, 1907 recently revised on the Palaearctic scale (Sinev et Lvovsky 2014).
15. *Anthophila* sp. The only female, possibly conspecific with *Anthophila colchica* or *A. decolorana*, described from Western Transcaucasia (Abkhazia) from males (Danilevsky, 1969).

Conclusions

Since Microlepidoptera have not previously been studied on the territory of South Ossetia, all 143 species listed above are new to the republic. Data on this group on the scale of Transcaucasia still remain rather fragmentary, so the potential volume of regional fauna is difficult to estimate; apparently, only 10–15 percent of its composition is known to date. Representatives of some families (Micropterigidae, Eriocraniidae, Nepticulidae, Tischeriidae, Opostegidae, Prodoxidae, Bucculatrigidae, Heliozelidae, Acrolepiidae, Glyphipterigidae, Praydidae, Lyonetiidae, Bedelliidae, Douglasiidae, Parametriotidae, Carcinaidae, Batrachedridae, Chrysopeleidiidae, Schreckensteiniidae, Urodidae, Carposinidae) have not yet been recorded here, but will undoubtedly be found later. For comparison, the relatively well-studied fauna of the northern macroslope of the Greater Caucasus Range already numbers about one and a half thousand species of Microlepidoptera (Sinev 2019). Thus, to reveal the regional fauna of this group as completely as possible, additional field collections are required in different biotopes and throughout the entire growing season.

Acknowledgements

The authors express their gratitude to R. Bakhanov (Gorno-Altaisk), A. Dzhussoev†, V. Tedeev, and V. Gabaev (all Tskhinvali) for organizing the field studies in Southern Ossetia. Research of Sergey Sinev was performed in the frames of the State research project no. 122031100272-3 "Systematics, morphology, ecophysiology and evolution of insects".

References

- Anikin VV (2019) Coleophoridae. In: Sinev SYu (Ed.) Catalogue of the Lepidoptera of Russia. Edition 2. Zoological Institute RAS, St. Petersburg, 70–85. [In Russian]
- Baldizzone G (2016) The Coleophoridae of Armenia collected by Ole Karsholt in 2011. Contributions to the knowledge of the Coleophoridae CXXXI (Lepidoptera: Coleophoridae). SHILAP Revista de lepidopterología 44 (173): 129–144.



Baldizzone G, Nel J (2014) *Coleophora nepetellae* Baldizzone & Nel, a new species of the *C. lixella* group (Lepidoptera, Coleophoridae) from France and Italy. ZooKeys 459: 119– 135.
<https://doi.org/10.3897/zookeys.459.7983>

Danilevsky AS (1969) New species of glyphipterigid moths (Lepidoptera, Glyphipterygidae) of the fauna of the USSR. Entomologicheskoe Obozrenie 48: 919–932. [In Russian]

Kozhantshikov IV (1956) Chekhlonosy-meshechnitsy (sem. Psychidae). In: Fauna SSSR, Nasekomye cheshuekrylye 3 (2). Izdatel'stvo Akademii Nauk SSSR, Moskva-Leningrad, 516 pp. [In Russian]

Lvovsky AL (2006) Check-list of the broad-winged and flat moths (Lepidoptera: Oecophoridae, Chimabachidae, Amphibatidae, Depressariidae) of the fauna of Russia and adjacent countries. Proceedings of the Zoological Institute, St. Petersburg 307: 1–118. [In Russian]

Nedoshivina SV, Ustjuzhanin PY, Kovtunovich VN, Streltsov AN, Yakovlev RV (2023) Lepidoptera of South Ossetia (Northern Transcaucasia). Part III. Tortricidae, Pterophoridae and Alucitidae (Insecta: Lepidoptera). SHILAP Revista de lepidopterología 51(203): 437–445.
<https://doi.org/10.57065/shilap.529>

Sinev SYu (Ed.) (2019) Catalogue of the Lepidoptera of Russia. Edition 2. Zoological Institute RAS, St. Petersburg, 448 pp. [In Russian]

Sinev SYu, Lvovsky AL (2014) Taxonomical status and species composition of the little known genus *Agnoea* Walsingham, 1907 (Lepidoptera: Gelechioidea: Lypusidae). Zoosystematica Rossica 23 (1): 137–144.

Streletzov AN, Ustjuzhanin PYa, Yakovlev RV (2022a) Lepidoptera of South Ossetia (Northern Transcaucasia). Part I. Introduction and Superfamily Pyraloidea Latreille, 1809. Acta Biologica Sibirica 8: 281–296. <https://doi.org/10.5281/zenodo.7686863>

Streletzov AN, Ustjuzhanin PYa, Morozov PS, Naydenov AE, Spitsyn VM, Yakovlev RV (2022b) Lepidoptera of South Ossetia (Northern Transcaucasia). Part II. Cossidae, Limacodidae, Erebidae (Lymantriinae, Arctiinae, Syntominae, Notodontinae), Lasiocampidae, Lemoniidae, Saturniidae, Sphingidae, Drepanidae and Cimeliidae. Acta Biologica Sibirica 8: 647–654.