

Supplementary material 1

Table 1. Macrolepidoptera of the Chinetsky reserve

Species	Months of imago activity				Locality
	May	June	July	August	
Arctiidae					
<i>Arctia caja</i> (Linnaeus, 1758)	-	-	+	+	(3); (4); (5); (6)
<i>Arctia flavia</i> (Fuessly, 1779)	-	-	+	+	(3); (5); (6)
<i>Atolmis rubricollis</i> (Linnaeus, 1758)	+	+	+	-	(1)
<i>Chelis daturica</i> (Boisduval, 1834)	-	+	+	-	(1)
<i>Collita griseola</i> (Hübner, [1803])	-	-	+	+	(5)
<i>Coscinia cribraria</i> (Linnaeus, 1758)	-	+	+	+	(5); (6)
<i>Diacrisia sannio</i> (Linnaeus, 1758)	-	+	+	-	(1); (3)
<i>Diaphora mendica</i> (Clerck, 1759)	+	+	-	-	(1)
<i>Manulea complana</i> (Linnaeus, 1758)	-	+	+	+	(3); (4)
* <i>Manulea flavociliata</i> (Lederer, 1853)	-	-	+	+	(5)
<i>Manulea lurideola</i> ([Zincken], 1817)	-	-	+	+	(3); (5)
* <i>Manulea pygmaeola</i> (Doubleday, 1848)	-	-	+	+	(5)
<i>Miltochrista miniata</i> (Forster, 1771)	-	-	+	+	(3); (5)
<i>Pericallia matronula</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Phragmatobia fuliginosa</i> (Linnaeus, 1758)	+	+	+	+	(1); (5)
<i>Rhyparia purpurata</i> (Linnaeus, 1758)	-	+	+	-	(1); (3)
<i>Setina irrorella</i> (Linnaeus, 1758)	+	+	+	+	(1); (6)
<i>Spilarctia lutea</i> (Hufnagel, 1766)	-	+	+	-	(1); (2)
<i>Spilosoma urticae</i> (Esper, 1789)	-	+	+	-	(1)
<i>Stigmatophora flava</i> (Bremer & Grey, 1852)	-	-	+	+	(4); (6)
<i>Watsonarctia deserta</i> (Bartel, 1902)	+	+	-	-	(1)
Drepanidae					
<i>Thyatira batis</i> (Linnaeus, 1758)	+	+	+	-	(1); (3)
<i>Falcaria lacertinaria</i> (Linnaeus, 1758)	+	+	+	+	(1); (2); (5)
Erebidae					
* <i>Autophila asiatica</i> (Staudinger, 1888)	-	-	+	+	(6)
<i>Callistege mi</i> (Clerck, 1759)	+	+	-	-	(1)
<i>Catocala fulminea</i> (Scopoli, 1763)	-	-	+	+	(3)
<i>Chrysorythrum flavomaculata</i> (Bremer, 1861)	-	+	+	-	(1)
* <i>Eublemma amasina</i> (Eversmann, 1842)	-	+	+	+	(1); (4)
<i>Euclidia glyphica</i> (Linnaeus, 1758)	+	+	+	+	(1); (3); (6)
<i>Hypena proboscidalis</i> (Linnaeus, 1758)	-	+	+	+	(2); (5)
<i>Hypena rostralis</i> (Linnaeus, 1758)	+	+	+	+	(1); (6)
<i>Lygephila craccae</i> ([Denis & Schiffermüller], 1775)	-	-	+	+	(1)
<i>Lygephila ludicra</i> (Hübner, 1790)	-	-	+	+	(1); (2)
<i>Lygephila pastinum</i> (Treitschke, 1826)	-	+	+	-	(2)
<i>Lygephila viciae</i> (Hübner, [1822])	+	+	+	+	(1); (2); (5); (6)
<i>Phytometra viridaria</i> (Clerck, 1759)	-	+	+	+	(3); (5)
<i>Polypogon tentacularia</i> (Linnaeus, 1758)	-	+	+	-	(1); (3)
Hepialidae					
<i>Triodia sylvina</i> (Linnaeus, 1761)	-	-	+	+	(3); (6)

Sphingidae					
<i>Hemaris tityus</i> (Linnaeus, 1758)	+	+	+	+	(1)
<i>Hyles gallii</i> (Rottemburg, 1775)	+	+	+	+	(1); (6)
<i>Hyloicus morio</i> Rothschild & Jordan, 1903	-	+	+	-	(1)
<i>Laothoe amurensis</i> (Staudinger, 1892)	+	+	+	+	(1); (2); (4)
<i>Laothoe populi</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Smerinthus caecus</i> (Menetries, 1857)	+	+	+	-	(1); (2)
<i>Sphinx ligustri</i> (Linnaeus, 1758)	+	+	+	+	(1); (3); (5)
Saturniidae					
<i>Eudia pavonia</i> (Linnaeus, 1758)	+	-	-	-	(1)
Nolidae					
<i>Nola aerugula</i> (Hübner, 1793)	-	-	+	+	(1); (6)
<i>Pseudoips prasinana</i> (Linnaeus, 1758)	-	+	-	-	(2)
Notodontidae					
<i>Cerura vinula</i> (Linnaeus, 1758)	+	+	-	-	(1)
<i>Clostera albosigma</i> (Fitch, 1856)	+	+	+	+	(1)
<i>Furcula bicuspis</i> (Borkhausen, 1790)	+	+	+	-	(1); (2)
<i>Notodonta dromedarius</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Phalera bucephala</i> (Linnaeus, 1758)	-	+	+	-	(1); (2)
<i>Pheosia gnoma</i> (Fabricius, 1776)	+	+	+	-	(1); (3)
<i>Ptilodon capucina</i> (Linnaeus, 1758)	-	+	+	-	(1)
Lymantriidae					
<i>Gynaephora fascelina</i> (Linnaeus, 1758)	-	+	+	+	(3); (5); (6)
<i>Lymantria dispar</i> (Linnaeus, 1758)	-	+	+	+	(2); (3); (5)
<i>Sphrageidus similis</i> (Fuessly, 1775)	-	-	+	+	(5); (6)
<i>Thylacigyna antiquiodes</i> (Hübner, 1822)	-	-	+	+	(4); (6)
Lasiocampidae					
<i>Dendrolimus superans</i> (Butler, 1877)	-	+	+	-	(3)
<i>Euthrix potatoria</i> (Linnaeus, 1758)	-	+	+	+	(3); (6)
<i>Gastropacha populifolia</i> (Esper, 1784)	-	+	+	+	(2); (4)
<i>Gastropacha quercifolia</i> (Linnaeus, 1758)	-	+	+	+	(3); (5)
<i>Lasiocampa quercus</i> (Linnaeus, 1758)	-	+	+	-	(1); (2); (3)
<i>Macrothylacia rubi</i> (Linnaeus, 1758)	+	+	+	-	(1)
<i>Malacosoma castrensis</i> (Linnaeus, 1758)	-	+	+	-	(1); (2); (3)
<i>Odonestis pruni</i> (Linnaeus, 1758)	-	+	+	+	(1); (6)
<i>Trichiura crataegi</i> (Linnaeus, 1758)	-	-	+	+	(1); (5)
Geometridae					
<i>Alcis deversata</i> (Staudinger, 1892)	-	-	+	-	(1)
<i>Angerona prunaria</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Aspitates mundataria</i> (Stoll, 1782)	+	+	+	-	(1)
<i>Baptria tibiale</i> (Esper, 1791)	+	+	-	-	(1)
<i>Biston betularia</i> (Linnaeus, 1758)	-	+	+	+	(1); (2)
<i>Cabera pusaria</i> (Linnaeus, 1758)	+	+	+	-	(1)
<i>Cataclysmes riguita</i> (Hübner, [1813])	-	-	-	+	(6)
<i>Catarhoe cuculata</i> (Hufnagel, 1767)	-	+	+	+	(3); (5)
<i>Chariaspilates formosaria</i> (Eversmann, 1837)	-	-	+	-	(1)
<i>Charissa ambiguata</i> (Duponchel, 1830)	-	+	+	-	(1)
<i>Chiasmia clathrata</i> (Linnaeus, 1758)	+	+	+	+	(1)

<i>Crocallis elinguaris</i> (Linnaeus, 1758)	-	-	+	+	(6)
<i>Ectropis crepuscularia</i> ([Denis & Schiffermüller], 1775)	+	+	-	-	(1); (2)
<i>Electrophaes corylata</i> (Thunberg, 1792)	-	+	-	-	(2)
<i>Ematurga atomaria</i> (Linnaeus, 1758)	+	+	+	+	(1); (5)
<i>Ennomos autumnaria</i> (Werneburg, 1859)	-	-	+	+	(5)
<i>Epirrhoe alternata</i> (Müller, 1764)	-	+	+	+	(3)
<i>Eulithis achatinellaria</i> (Oberthür, 1880)	-	-	-	+	(6)
<i>Eulithis testata</i> (Linnaeus, 1761)	-	-	+	+	(4); (6)
<i>Euphyia unangulata</i> (Haworth, 1809)	-	+	+	-	(2)
<i>Eupithecia assimilata</i> Doubleday, 1856	-	+	+	+	(2)
<i>Eupithecia icterata</i> (De Villers, 1789)	-	+	+	+	(3); (5)
<i>Eupithecia jezonica</i> Matsumura, 1927	-	+	+	+	(2); (4)
<i>Eupithecia subfuscata</i> (Haworth, 1809)	-	+	+	-	(1)
<i>Eupithecia succenturiata</i> (Linnaeus, 1758)	-	+	+	+	(2); (5)
<i>Eupithecia venosata</i> (Fabricius, 1787)	-	+	+	-	(2)
<i>Gandaritis pyraliata</i> ([Denis & Schiffermüller], 1775)	-	-	+	+	(3); (6)
<i>Geometra papilionaria</i> (Linnaeus, 1758)	-	+	+	-	(1); (3)
<i>Heliomata glarearia</i> ([Denis & Schiffermüller], 1775)	+	+	+	-	(1)
<i>Horisme tersata</i> (Denis & Schiffermüller, 1775)	-	+	+	+	(2); (3); (6)
<i>Hypomecis roboraria</i> ([Denis & Schiffermüller], 1775)	-	+	+	-	(3)
<i>Hypoxystis pluviaria</i> (Fabricius, 1787)	+	+	-	-	(1)
<i>Idaea aversata</i> (Linnaeus, 1758)	-	+	+	+	(3); (5); (6)
<i>Idaea biselata</i> (Hufnagel, 1767)	-	-	+	+	(2); (5)
<i>Isturgia murinaria</i> ([Denis & Schiffermüller], 1775)	+	+	+	+	(1); (6)
<i>Larentia clavaria</i> (Haworth, 1809)	-	-	-	+	(6)
<i>Lomographa temerata</i> ([Denis & Schiffermüller], 1775)	+	+	-	-	(1); (2)
<i>Lythria purpuraria</i> (Linnaeus, 1758)	+	+	+	+	(1); (3); (6)
<i>Macaria liturata</i> (Clerck, 1759)	+	+	+	-	(1); (3)
<i>Macaria notata</i> (Linnaeus, 1758)	-	+	+	+	(1); (5)
<i>Mesoleuca albicillata</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Minoa murinata</i> (Scopoli, 1763)	+	+	+	-	(1)
<i>Odezia atrata</i> (Linnaeus, 1758)	+	+	-	-	(1)
<i>Odontopera bidentata</i> (Clerck, 1759)	+	+	+	-	(2)
<i>Opisthograptis luteolata</i> (Linnaeus, 1758)	-	+	-	-	(2)
<i>Pasiphila rectangulata</i> (Linnaeus, 1758)	-	+	+	-	(2)
<i>Pelurga comitata</i> (Linnaeus, 1758)	-	+	+	+	(3); (6)
<i>Perizoma alchemillata</i> (Linnaeus, 1758)	+	+	+	+	(1); (6)
<i>Perizoma flavofasciata</i> (Thunberg, 1792)	-	+	+	-	(2)
<i>Perizoma hydrata</i> (Treitschke, 1829)	-	+	+	-	(2)
<i>Pseudopanthera macularia</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Rheumaptera hastata</i> (Linnaeus, 1758)	+	+	-	-	(1); (2)
<i>Rhodostrophia vibicaria</i> (Clerck, 1759)	-	+	+	-	(2); (3)

<i>Scopula decorata</i> ([Denis & Schiffermüller], 1775)	-	+	+	+	(3); (6)
<i>Scopula immorata</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Scopula incanata</i> (Linnaeus, 1758)	+	+	+	+	(1); (6)
<i>Scopula ornata</i> (Scopoli, 1763)	+	+	+	+	(1); (5); (6)
* <i>Scopula prouti</i> Djakonov, 1935	-	+	+	-	(2)
<i>Scopula rubiginata</i> (Hufnagel, 1767)	-	+	+	+	(1); (5); (6)
<i>Scopula virginalis</i> (Fourcroy, 1785)	-	+	+	-	(1); (3)
<i>Scotopteryx chenopodiata</i> (Linnaeus, 1758)	-	-	+	+	(1); (4)
<i>Siona lineata</i> (Scopoli, 1763)	+	+	+	-	(1)
<i>Synopsia strictaria</i> (Lederer, 1853)	-	+	+	-	(1)
<i>Thalera fimbrialis</i> (Scopoli, 1763)	-	+	+	-	(1)
<i>Thetidia smaragdaria</i> (Fabricius, 1787)	-	+	+	+	(1); (4)
<i>Timandra comae</i> Schmidt, 1931	+	+	+	+	(1); (4); (6)
<i>Xanthorhoe fluctuata</i> (Linnaeus, 1758)	+	+	+	+	(1); (6)
Noctuidae					
<i>Eriopygodes imbecilla</i> (Fabricius, 1794)	-	+	+	-	(1)
<i>Abrostola tripartita</i> (Hufnagel, 1766)	+	+	+	+	(1)
<i>Acontia trabealis</i> (Scopoli, 1763)	-	+	+	-	(6)
<i>Acronicta alni</i> (Linnaeus, 1767)	+	+	+	-	(1); (2)
<i>Acronicta auricoma</i> ([Denis & Schiffermüller], 1775)	+	+	+	+	(6)
<i>Acronicta cinerea</i> (Hufnagel, 1766)	+	+	+	+	(6)
<i>Acronicta concerpta</i> Draudt, 1937	-	+	+	-	(2)
<i>Acronicta psi</i> (Linnaeus, 1758)	-	+	+	-	(2)
<i>Acronicta rumicis</i> (Linnaeus, 1758)	+	+	+	+	(2)
<i>Acronicta strigosa</i> ([Denis & Schiffermüller], 1775)	-	+	+	-	(2)
<i>Acronicta vulpina</i> (Grote, 1883)	+	+	+	-	(2)
<i>Actebia praecurrens</i> (Staudinger, 1888)	-	-	+	+	(6)
<i>Actebia squalida</i> (Guenée, 1852)	-	-	+	+	(1); (2)
<i>Actinotia polyodon</i> (Clerck, 1759)	+	+	-	-	(6)
<i>Agrotis segetum</i> ([Denis & Schiffermüller], 1775)	-	-	+	+	(5); (6)
<i>Agrotis trifurca</i> Eversmann, 1837	-	-	-	+	(5); (6)
<i>Amphipoea asiatica</i> (Burrows, 1911)	-	-	+	+	(1); (6)
<i>Amphipoea fucosa</i> (Freyer, 1830)	-	-	+	+	(5); (6)
<i>Amphipyra livida</i> ([Denis & Schiffermüller], 1775)	-	-	+	+	(5); (6)
<i>Amphipyra perflua</i> (Fabricius, 1787)	-	-	+	+	(3); (6)
<i>Amphipyra tetra</i> (Fabricius, 1787)	-	-	+	+	(5)
<i>Anarta trifolii</i> (Hufnagel, 1766)	+	+	+	+	(1); (5)
<i>Apamea crenata</i> (Hufnagel, 1766)	-	+	+	-	(1)
<i>Apamea ferrago</i> (Eversmann, 1837)	-	-	+	+	(6)
<i>Apamea lateritia</i> (Hufnagel, 1766)	-	-	+	+	(1)
<i>Apamea monoglypha</i> (Hufnagel, 1766)	-	+	+	-	(1); (2)
<i>Apamea veterina</i> (Lederer, 1853)	-	+	-	+	(5); (6)
<i>Athaumasta expressa</i> (Lederer, 1855)	+	+	-	-	(1)
<i>Athaumasta siderigera</i> (Christoph, 1893)	+	+	-	-	(1)
<i>Athetis correpta</i> (Püngeler, 1906)	-	-	+	+	(6)

<i>Athetis furvula</i> (Hübner, [1808])	-	-	+	+	(1); (2); (3); (5); (6)
<i>Autographa excelsa</i> (Kretschmar, 1862)	-	-	+	+	(1); (3)
<i>Autographa pulchrina</i> (Haworth, 1809)	-	+	+	-	(1); (6)
<i>Axylia putris</i> (Linnaeus, 1761)	-	+	+	-	(1); (2); (3)
<i>Calamia tridens</i> (Hufnagel, 1766)	-	-	+	+	(5); (6)
<i>Calophasia lunula</i> (Hufnagel, 1766)	+	+	+	+	(1); (5)
<i>Caradrina morpheus</i> (Hufnagel, 1766)	-	+	+	-	(1)
<i>Caradrina petraea</i> (Tengstrom, 1869)	+	+	+	+	(1); (5)
<i>Ceramica pisi</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Cerapteryx graminis</i> (Linnaeus, 1758)	-	-	+	+	(5); (6)
* <i>Cerastis orientalis</i> Boursin, 1948	+	+	-	-	(1)
<i>Chersotis cuprea</i> ([Denis & Schiffermüller], 1775)	-	-	+	+	(6)
<i>Chersotis deplanata</i> (Eversmann, 1843)	-	-	+	+	(5); (6)
<i>Chersotis transiens</i> (Staudinger, 1897)	-	-	+	+	(1); (6)
<i>Cucullia lucifuga</i> ([Denis & Schiffermüller], 1775)	+	+	+	-	(1)
<i>Cucullia praecana</i> Eversmann, 1843	-	+	+	-	(2)
<i>Cucullia pustulata</i> Eversmann, 1842	-	+	+	-	(2)
<i>Cucullia umbratica</i> (Linnaeus, 1758)	-	+	+	-	(3)
<i>Cucullia virgaureae</i> Boisduval, 1840	-	+	+	+	(5)
<i>Dasypolia templi</i> (Thunberg, 1792)	+	-	-	-	(1)
<i>Deltote bankiana</i> (Fabricius, 1775)	-	+	+	-	(1); (3)
<i>Diachrysia chryson</i> (Esper, 1789)	-	+	+	-	(6)
<i>Diachrysia stenochrysis</i> (Warren, 1913)	-	+	+	+	(2); (5); (6)
<i>Diarsia dahlia</i> (Hübner, 1813)	-	-	+	+	(3); (6)
<i>Dichagyris musiva</i> (Hübner, 1803)	-	-	+	+	(5); (6)
<i>Dichagyris stentzi</i> (Lederer, 1853)	-	-	-	+	(6)
<i>Dypterygia scabriuscula</i> (Linnaeus, 1758)	-	+	+	-	(1); (2)
<i>Elaphria venustula</i> (Hübner, 1790)	-	+	-	-	(1)
<i>Enargia paleacea</i> (Esper, [1788])	-	-	+	+	(1); (6)
<i>Euchalcia modestoides</i> Poole, 1989	-	-	+	+	(1); (4); (6)
<i>Euchalcia variabilis</i> (Piller & Mitterpacher, 1783)	-	-	+	+	(2); (5)
<i>Eugraphe sigma</i> ([Denis & Schiffermüller], 1775)	-	+	+	-	(1)
<i>Eurois occulta</i> (Linnaeus, 1758)	-	-	+	+	(2); (3)
<i>Euxoa adumbrata</i> (Eversmann, 1842)	-	-	+	+	(3); (6)
<i>Euxoa aquilina</i> ([Denis & Schiffermüller], 1775)	-	-	+	+	(3); (6)
<i>Euxoa conspicua</i> (Hübner, [1824])	-	-	+	+	(2); (5)
<i>Euxoa nigricans</i> (Linnaeus, 1761)	-	-	+	+	(1); (5)
<i>Euxoa ochrogaster</i> (Guenée, 1853)	-	-	+	+	(3); (5)
<i>Euxoa recussa</i> (Hübner, 1817)	-	-	+	+	(6)
<i>Hadena capsincola</i> ([Denis & Schiffermüller], 1775)	-	+	+	-	(1)
<i>Hadena compta</i> ([Denis & Schiffermüller], 1775)	-	+	+	+	(1); (5); (6)
<i>Hadena confusa</i> (Hufnagel, 1766)	-	+	+	-	(1); (3)
* <i>Hadena magnolia</i> (Boisduval, 1829)	+	+	-	-	(1)
<i>Hadena variolata</i> (Smith, 1888)	-	+	+	-	(1)
<i>Heliothis ononis</i> ([Denis & Schiffermüller], 1775)	-	+	+	-	(3); (4)
<i>Heliothis virescens</i> (Hufnagel, 1766)	+	+	-	-	(1)

<i>Hoplodrina octogenaria</i> (Goeze, 1781)	-	+	+	-	(1); (4)
<i>Hydraecia mongoliensis</i> Urbahn, 1967	-	-	+	+	(6)
<i>Ipimorpha retusa</i> (Linnaeus, 1761)	-	-	+	+	(6)
<i>Lacanobia aliena</i> (Hübner, 1809)	+	+	-	-	(1)
<i>Lacanobia contigua</i> ([Denis & Schiffermüller], 1775)	-	+	+	-	(2)
* <i>Lacanobia mongolica</i> Behounek, 1992	-	+	+	-	(2)
<i>Lacanobia suasa</i> ([Denis & Schiffermüller], 1775)	+	+	+	-	(3); (5); (6)
<i>Lacanobia thalassina</i> (Hufnagel, 1766)	-	+	+	-	(1)
<i>Lasionhada proxima</i> (Hübner, [1809])	-	+	+	+	(1); (3)
<i>Leucania comma</i> (Linnaeus, 1761)	-	+	+	-	(2)
<i>Lithophane socia</i> (Hufnagel, 1766)	+	-	-	-	(1)
<i>Macdunnoughia confusa</i> (Stephens, 1850)	-	+	+	+	(1); (6)
<i>Melanchra persicariae</i> (Linnaeus, 1761)	-	+	+	-	(2)
<i>Mesapamea secalis</i> (Linnaeus, 1758)	-	+	+	+	(2); (5)
<i>Mythimna conigera</i> ([Denis & Schiffermüller], 1775)	-	+	+	-	(1); (3)
<i>Mythimna ferrago</i> (Fabricius, 1787)	-	+	+	-	(1)
<i>Mythimna impura</i> (Hübner, [1808])	-	+	+	-	(1)
<i>Mythimna pallens</i> (Linnaeus, 1758)	-	+	+	+	(3); (5)
<i>Mythimna velutina</i> (Eversmann, 1846)	-	+	+	+	(2); (3); (5)
<i>Noctua interposita</i> (Hübner, 1790)	-	-	+	+	(4); (5)
<i>Nyssocnemis eversmanni</i> (Lederer, 1853)	-	-	-	+	(6)
<i>Oligia latruncula</i> ([Denis & Schiffermüller], 1775)	-	+	+	-	(2)
<i>Oligia leuconeophra</i> Hampson, 1908	-	-	+	+	(5); (6)
<i>Oncocnemis campicola</i> Lederer, 1853	-	-	+	+	(6)
<i>Orthosia gothica</i> (Linnaeus, 1758)	+	-	-	-	(1)
<i>Orthosia gracilis</i> ([Denis & Schiffermüller], 1775)	+	-	-	-	(1)
<i>Orthosia incerta</i> (Hufnagel, 1766)	+	-	-	-	(1)
<i>Pabulatrix pabulatricula</i> (Brahm, 1791)	-	-	+	+	(1); (6)
<i>Pachetra sagittigera</i> (Hufnagel, 1766)	+	+	-	-	(1)
<i>Paradiarsia punicea</i> (Hübner, [1803])	-	+	+	-	(2)
<i>Paragona cognata</i> (Staudinger, 1892)	-	+	+	+	(1); (5)
<i>Photedes extrema</i> (Hübner, 1809)	-	-	+	+	(3); (6)
<i>Polia bombycina</i> (Hufnagel, 1766)	-	+	+	-	(1); (3)
<i>Polia nebulosa</i> (Hufnagel, 1766)	-	+	+	-	(1)
<i>Polychrysis esmeralda</i> (Oberthür, 1880)	-	-	+	+	(3); (6)
<i>Protolampra sobrina</i> (Duponchel, 1843)	-	+	+	-	(1)
<i>Pyrrhia umbra</i> (Hufnagel, 1766)	-	+	+	-	(2); (3)
<i>Resapamea hedeni</i> (Graeser, 1888)	-	-	+	-	(1)
<i>Resapamea vulpecula</i> (Graeser, [1889])	-	-	+	-	(3)
<i>Rusina ferruginea</i> (Esper, 1787)	+	+	-	-	(1)
<i>Sideridis kitti</i> (Schawerda, 1914)	+	+	-	-	(1)
<i>Sideridis turbida</i> (Esper, 1790)	-	+	+	-	(1)
<i>Sineugraphe exusta</i> (Butler, 1878)	-	-	+	+	(1); (5)
<i>Spaelotis ravida</i> ([Denis & Schiffermüller], 1775)	-	+	+	+	(3); (4); (5)
<i>Spaelotis sennina</i> Boursin, 1955	-	-	+	+	(5)

<i>Xestia baja</i> ([Denis & Schiffermüller], 1775)	-	-	+	+	(1); (2); (6)
<i>Xestia ditrapezium</i> ([Denis & Schiffermüller], 1775)	-	-	+	-	(3)
<i>Xestia kollari</i> (Kindermann in Lederer, 1853)	-	-	+	+	(6)
<i>Xestia triangulum</i> (Hufnagel, 1766)	-	-	+	-	(1); (2)
Pieridae					
<i>Anthocharis cardamines</i> (Linnaeus, 1758)	+	+	+	+	(1); (2)
<i>Colias hyale</i> (Linnaeus, 1758)	+	+	+	+	(1); (3); (6)
<i>Gonepteryx rhamni</i> (Linnaeus, 1758)	+	+	+	+	(1); (5)
<i>Leptidea amurensis</i> Ménétriés, 1859	+	+	+	+	(1); (2); (4); (6)
<i>Leptidea sinapis</i> (Linnaeus, 1758)	+	+	+	+	(1); (6)
<i>Pieris napi</i> (Linnaeus, 1758)	+	+	+	+	(1); (3); (6)
<i>Pieris rapae</i> (Linnaeus, 1758)	+	+	+	+	(1); (4); (6)
<i>Pontia edusa</i> (Fabricius, 1777)	+	+	+	+	(1); (5); (6)
Nymphalidae					
<i>Aglais urticae</i> (Linnaeus, 1758)	+	+	+	+	(1); (2)
<i>Araschnia levana</i> (Linnaeus, 1758)	+	+	+	+	(1)
<i>Argynnis aglaja</i> (Linnaeus, 1758)	-	+	+	+	(1)
<i>Argynnis paphia</i> (Linnaeus, 1758)	-	+	+	+	(1); (2)
<i>Brenthis ino</i> (Rottemburg, 1775)	-	+	+	+	(1); (5)
<i>Clossiana dia</i> (Linnaeus, 1767)	+	+	+	-	(1)
<i>Coenonympha hero</i> (Linnaeus, 1761)	-	+	+	-	(2)
<i>Coenonympha oedippus</i> (Fabricius, 1787)	-	+	+	-	(1)
<i>Coenonympha pamphilus</i> (Linnaeus, 1758)	+	+	+	+	(1); (6)
<i>Erebia aethiops</i> (Esper, 1777)	-	+	+	+	(1); (4)
<i>Erebia theano</i> (Thauscher, 1806)	+	+	+	-	(1)
<i>Euphydryas aurinia</i> (Rottemburg, 1775)	+	+	+	+	(1); (6)
<i>Euphydryas ichnea</i> (Boisduval, [1833])	-	+	+	-	(1); (2)
<i>Fabriciana adippe</i> ([Denis & Schiffermüller], 1775)	-	+	+	+	(1); (3); (6)
<i>Fabriciana niobe</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Hyponephele lycaon</i> (Rottemburg, 1775)	-	+	+	+	(2); (6)
<i>Issoria lathonia</i> (Linnaeus, 1758)	+	+	+	-	(1)
<i>Lasiommata maera</i> (Linnaeus, 1758)	-	+	+	-	(1)
<i>Limenitis populi</i> (Linnaeus, 1758)	-	+	+	-	(3)
<i>Lopinga achine</i> (Scopoli, 1763)	-	+	+	-	(1)
<i>Melitaea arduinna</i> (Esper, 1783)	+	+	+	-	(1); (2)
<i>Melitaea cinxia</i> (Linnaeus, 1758)	+	+	+	-	(1)
<i>Melitaea phoebe</i> ([Denis & Schiffermüller], 1775)	-	+	+	-	(1)
<i>Mellicta athalia</i> (Rottemburg, 1775)	-	+	+	+	(1); (4)
<i>Minois dryas</i> (Scopoli, 1763)	-	-	-	+	(6)
<i>Neptis rivularis</i> (Scopoli, 1763)	+	+	+	-	(1)
<i>Nymphalis antiopa</i> (Linnaeus, 1758)	+	-	+	+	(1); (5); (6)
<i>Oeneis tarpeja</i> (Pallas, 1771)	+	+	-	-	(1)
<i>Polygonia c-album</i> (Linnaeus, 1758)	+	-	+	+	(1); (5)
<i>Vanessa cardui</i> (Linnaeus, 1758)	+	+	+	+	(1); (4); (6)
<i>Vanessa io</i> (Linnaeus, 1758)	+	+	+	+	(1); (6)
Lycaenidae					
<i>Ahlbergia frivaldszkyi</i> (Kindermann in Lederer,	+	+	+	-	(1)

1853)					
<i>Aricia agestis</i> ([Denis & Schiffermüller], 1775)	-	+	+	+	(1)
<i>Aricia allous</i> (Hübner, 1819)	-	+	+	+	(1); (2)
<i>Callophrys rubi</i> (Linnaeus, 1758)	+	+	-	-	(1)
<i>Cupido minimus</i> (Fuesslin, 1775)	-	+	+	-	(1)
<i>Everes argiades</i> (Pallas, 1771)	+	+	+	+	(1); (3)
<i>Glaucopsyche alexis</i> (Poda, 1761)	+	+	+	-	(1)
<i>Lycaena helle</i> ([Denis & Schiffermüller], 1775)	+	+	-	-	(1)
<i>Plebejus argus</i> (Linnaeus, 1758)	-	+	+	+	(1); (5)
<i>Polyommatus amandus</i> (Schneider, 1792)	-	+	+	-	(1)
<i>Polyommatus damon</i> ([Denis & Schiffermüller], 1775)	-	-	+	+	(1); (6)
<i>Polyommatus damone</i> (Eversmann, 1841)	+	+	+	+	(1); (5); (6)
<i>Polyommatus icarus</i> (Rottemburg, 1775)	+	+	+	-	(1)
<i>Scolitantides orion</i> (Pallas, 1771)	+	+	-	-	(1)
<i>Tongeia fischeri</i> (Eversmann, 1843)	+	+	-	-	(1)
Hesperiidae					
<i>Carcharodus alceae</i> (Esper, 1780)	+	+	+	+	(1); (6)
<i>Heteropterus morpheus</i> (Pallas, 1771)	-	+	+	-	(2); (1)
<i>Ochlodes sylvanus</i> (Esper, 1777)	-	+	+	-	(1)
<i>Oeneis tarpeja</i> (Pallas, 1771)	+	+	-	-	(1)
<i>Pyrgus malvae</i> (Linnaeus, 1758)	+	+	-	-	(1)
<i>Pyrgus serratulae</i> (Rambur, 1839)	+	+	-	-	(1)
<i>Thymelicus lineola</i> (Ochsenheimer, 1808)	-	+	+	+	(1); (6)
Papilionidae					
<i>Papilio machaon</i> Linnaeus, 1758	+	+	+	+	(1); (6)
<i>Parnassius apollo</i> (Linnaeus, 1758)	-	+	+	+	(1); (6)
<i>Parnassius nomion</i> Fischer von Waldheim, 1823	-	+	+	+	(1); (5)
<i>Parnassius stubbendorfi</i> Ménétériés, 1849	-	+	+	-	(1); (2)

Note: See description for locality numbers (1-6) in the article.